






United States - entire year of 2015.

[Hepatitis Home](#) | [NCID Home](#) | [Contact Us](#)



Reported cases per 100,000 population Hepatitis A



Acute Hepatitis B



Acute Hepatitis C**



* provisional data

**To date, acute hepatitis C cases reported in NETSS have been unreliable for monitoring the incidence of acute hepatitis C because: no serologic marker is available to diagnose acute hepatitis C, and anti-HCV positive persons may be reported as having acute hepatitis C without the necessary clinical information to confirm acute disease.



Rate per 100,000			
	Hepatitis A	Acute Hepatitis B	Acute Hepatitis C
Alabama	0.5	2.1	1.4
Alaska	0.5	0.4	0.0
Arizona	0.8	0.4	0.0
Arkansas	0.3	1.2	0.1
California	0.5	0.4	0.1
Colorado	0.5	0.5	0.7
Connecticut	0.3	0.2	0.4
Delaware	0.2	0.9	0.4
District of Columbia	0.2	0.0	0.0
Florida	0.5	2.2	0.6
Georgia	0.3	1.1	0.8
Hawaii	0.4	1.0	0.0
Idaho	0.6	0.5	0.2
Illinois	0.5	0.4	0.3
Indiana	0.3	2.0	2.1
Iowa	0.5	0.5	0.0
Kansas	0.2	0.7	0.8
Kentucky	0.4	3.6	2.7
Louisiana	0.1	1.9	0.5
Maine	0.6	0.7	2.3
Maryland	0.3	0.6	0.6
Massachusetts	0.5	0.4	3.7
Michigan	0.5	0.6	0.8
Minnesota	0.3	0.3	0.7
Mississippi	0.1	1.7	0.0
Missouri	0.0	0.1	0.0
Montana	0.2	0.4	1.5
Nebraska	0.3	0.2	0.4
Nevada	0.4	0.9	0.4
New Hampshire	0.2	0.0	0.0
New Jersey	0.7	1.0	1.5
New Mexico	0.3	0.1	0.7
New York	0.6	0.4	0.6
North Carolina	0.5	1.7	1.5
North Dakota	0.7	0.3	0.0
Ohio	0.3	3.5	1.0
Oklahoma	0.3	1.0	0.6
Oregon	0.7	0.7	0.3
Pennsylvania	0.3	0.5	1.0
Rhode Island	0.4	0.0	0.0
South Carolina	0.3	0.6	0.1
South Dakota	0.2	0.2	0.0
Tennessee	0.2	3.7	2.6
Texas	0.5	0.6	0.2
Utah	0.3	0.3	1.0

Vermont	0.5	0.5	0.2
Virginia	0.6	0.8	0.6
Washington	0.4	0.5	0.9
West Virginia	0.4	14.6	3.5
Wisconsin	0.2	0.1	1.1
Wyoming	0.5	0.0	0.0
U.S.	0.4	1.0	0.7

Number of reported cases by State

current quarter/mean (range) for this quarter during previous 2 years

	Hepatitis A	Acute Hepatitis B	Acute Hepatitis C
Alabama	23 / 12.5 (10-15)	102 / 103.5 (90-117)	70 / 32.5 (30-35)
Alaska	4 / 1.0 (1-1)	3 / 2.0 (1-3)	0 / 0.0
Arizona	54 / 47.5 (29-66)	25 / 29.5 (28-31)	0 / 0.0
Arkansas	10 / 5.5 (2-9)	36 / 39.0 (28-50)	2 / 21.5 (13-30)
California	178 / 198.5 (142-255)	157 / 124.0 (110-138)	55 / 72.5 (72-73)
Colorado	25 / 37.0 (23-51)	28 / 26.5 (24-29)	40 / 27.0 (21-33)
Connecticut	9 / 21.0 (19-23)	6 / 8.5 (8-9)	15 / 4.5 (0-9)
Delaware	2 / 2.5 (1-4)	8 / 11.0 (8-14)	4 / 0.0
District of Columbia	1 / 0.0	0 / 0.0	0 / 0.0
Florida	109 / 102.5 (90-115)	430 / 318.0 (313-323)	112 / 113.5 (93-134)
Georgia	35 / 30.0 (24-36)	115 / 103.5 (103-104)	83 / 52.5 (48-57)
Hawaii	6 / 10.5 (5-16)	14 / 5.0 (4-6)	0 / 0.5 (0-1)
Idaho	9 / 7.5 (7-8)	8 / 9.5 (6-13)	3 / 10.0 (6-14)
Illinois	59 / 80.5 (79-82)	55 / 76.0 (58-94)	33 / 32.0 (27-37)
Indiana	19 / 26.0 (20-32)	133 / 113.5 (101-126)	138 / 148.5 (122-175)
Iowa	16 / 14.5 (12-17)	16 / 10.0 (9-11)	0 / 0.0
Kansas	7 / 9.0 (7-11)	19 / 11.0 (11-11)	22 / 22.5 (17-28)
Kentucky	16 / 21.5 (19-24)	160 / 189.0 (164-214)	119 / 201.0 (176-226)
Louisiana	5 / 9.5 (5-14)	87 / 84.5 (82-87)	24 / 20.5 (19-22)
Maine	8 / 9.0 (8-10)	9 / 11.5 (11-12)	30 / 19.5 (8-31)
Maryland	17 / 28.0 (27-29)	38 / 41.5 (40-43)	35 / 47.5 (42-53)
Massachusetts	34 / 43.0 (43-43)	25 / 50.5 (30-71)	249 / 201.0 (174-228)
Michigan	51 / 64.0 (45-83)	55 / 51.5 (50-53)	82 / 76.0 (74-78)
Minnesota	18 / 25.5 (19-32)	19 / 17.5 (16-19)	37 / 43.5 (40-47)
Mississippi	2 / 4.0 (3-5)	50 / 51.5 (48-55)	0 / 0.0
Missouri	1 / 14.0 (8-20)	4 / 46.0 (31-61)	3 / 6.0 (6-6)
Montana	2 / 5.5 (5-6)	4 / 2.0 (0-4)	15 / 14.5 (13-16)
Nebraska	6 / 11.0 (9-13)	3 / 8.5 (8-9)	8 / 2.0 (2-2)
Nevada	11 / 12.0 (5-19)	25 / 25.0 (21-29)	10 / 7.5 (6-9)
New Hampshire	2 / 7.0 (5-9)	0 / 3.0 (2-4)	0 / 0.0
New Jersey	59 / 63.5 (59-68)	85 / 71.0 (65-77)	130 / 109.5 (106-113)
New Mexico	6 / 14.0 (8-20)	2 / 2.5 (2-3)	14 / 14.0 (12-16)
New York	113 / 125.5 (84-167)	82 / 106.0 (95-117)	128 / 128.5 (126-131)
North Carolina	45 / 42.0 (38-46)	171 / 87.5 (75-100)	145 / 95.0 (79-111)
North Dakota	5 / 9.0 (9-9)	2 / 0.0	0 / 2.0 (0-4)
Ohio	36 / 45.5 (32-59)	411 / 198.0 (171-225)	121 / 110.5 (105-116)

Oklahoma	11 / 15.5 (14-17)	37 / 48.5 (40-57)	22 / 42.5 (40-45)
Oregon	27 / 21.0 (13-29)	27 / 32.0 (32-32)	11 / 14.5 (14-15)
Pennsylvania	43 / 50.5 (48-53)	63 / 55.5 (43-68)	128 / 75.0 (69-81)
Rhode Island	4 / 6.0 (4-8)	0 / 0.0	0 / 0.0
South Carolina	16 / 10.0 (6-14)	31 / 47.5 (37-58)	5 / 2.0 (0-4)
South Dakota	2 / 3.5 (3-4)	2 / 4.0 (3-5)	0 / 0.5 (0-1)
Tennessee	13 / 16.0 (12-20)	241 / 247.0 (232-262)	172 / 110.5 (98-123)
Texas	146 / 116.5 (109-124)	150 / 132.0 (122-142)	47 / 37.5 (28-47)
Utah	8 / 10.0 (8-12)	10 / 8.0 (5-11)	30 / 24.5 (11-38)
Vermont	3 / 4.0 (1-7)	3 / 3.0 (2-4)	1 / 3.5 (3-4)
Virginia	50 / 31.5 (27-36)	69 / 66.5 (61-72)	53 / 47.5 (41-54)
Washington	26 / 35.5 (26-45)	34 / 38.5 (33-44)	65 / 72.5 (63-82)
West Virginia	8 / 8.0 (4-12)	271 / 190.5 (186-195)	64 / 60.0 (58-62)
Wisconsin	9 / 22.0 (7-37)	5 / 91.0 (9-173)	64 / 44.5 (40-49)
Wyoming	3 / 0.5 (0-1)	0 / 0.0	0 / 0.0
U.S.	1372 / 1510.0 (1239-1781)	3330 / 3001.5 (2953-3050)	2389 / 2171.0 (2138-2204)

x / X (a-z) where: x is the number cases reported this quarter

X is the mean and (a-z) the range of cases reported for equivalent quarter during previous 2 years

Bold values- Current year is greater than the previous two year mean.

Number of reported cases/Rate per 100,000 by age group

Age Group (years)	Hepatitis A	Acute Hepatitis B	Acute Hepatitis C
<2	3 / 0.0	2 / 0.0	6 / 0.1
2-5	18 / 0.1	0 / 0.0	0 / 0.0
6-10	28 / 0.1	1 / 0.0	0 / 0.0
11-20	108 / 0.3	28 / 0.1	142 / 0.3
21-30	292 / 0.7	403 / 0.9	1020 / 2.3
31-40	217 / 0.5	1117 / 2.7	621 / 1.5
41-50	164 / 0.4	927 / 2.2	318 / 0.8
>50	539 / 0.5	831 / 0.8	280 / 0.3

Number of reported cases/Rate per 100,000 by race

Race	Hepatitis A	Acute Hepatitis B	Acute Hepatitis C
American Indian/Alaskan Native	5 / 0.2	21 / 0.8	34 / 1.3
Asian/Pacific Islander	106 / 0.6	66 / 0.4	15 / 0.1
Black Non-Hispanic	71 / 0.2	394 / 1.0	111 / 0.3
White Non-Hispanic	688 / 0.3	2117 / 1.1	1716 / 0.9
Hispanic	217 / 0.4	173 / 0.3	127 / 0.2

Number of reported cases/Rate per 100,000 by sex

Sex	Hepatitis A	Acute Hepatitis B	Acute Hepatitis C
Male	715 / 0.5	2050 / 1.3	1306 / 0.8
Female	655 / 0.4	1271 / 0.8	1074 / 0.7

Risk Factor Frequency

Hepatitis A (n=1372)	
Food handler:	28 of 668
Contact of person with hepatitis A:	62 of 605
Travel:	275 of 793
Men who have sex with men:	4 of 32
Injection drug use:	18 of 513
Acute Hepatitis B (n=3330)	
Multiple(>1) sexual partners:	246 of 853
History of blood transfusion:	34 of 1711
Men who have sex with men:	23 of 148
Injection drug use:	499 of 1647
Acute Hepatitis C (n=2389)	
Multiple(>1) sexual partners:	141 of 513
History of blood transfusion:	26 of 885
Men who have sex with men:	23 of 257
Injection drug use:	738 of 1156
n of N, where: n = Number with risk factor	
N = Number of times question was answered	