

Catheter-Associated Urinary Tract Infection (CAUTI) in Patients of Any Age, 2015

Urine culture with no more than two species of organisms, with at least one organism being a bacteria of $\geq 10^5$ CFU/ml. All elements must occur during the Infection Window Period.

No **STOP**

Yes

Indwelling urinary catheter in place for more than 2 calendar days, with day of urinary catheter placement being device day 1
AND catheter was either:
1. Still present on date of event, OR
2. Removed day before date of event

No **STOP**

Yes

At least one of the following signs or symptoms in any age patient

- Fever $>38.0^{\circ}\text{C}$
- Suprapubic tenderness without other recognized cause
- Costovertebral angle pain without other recognized cause
- Dysuria if catheter not in place
- Urinary urgency if catheter not in place
- Urinary frequency if catheter not in place

At least one of the following signs or symptoms in patients ≤ 1 year

- Fever $>38.0^{\circ}\text{C}$
- Suprapubic tenderness without other recognized cause
- Costovertebral angle pain without other recognized cause
- Hypothermia $<36.0^{\circ}\text{C}$
- Apnea without other recognized cause
- Bradycardia without other recognized cause
- Lethargy without other recognized cause
- Vomiting without other recognized cause

No **STOP**

Yes

If yes, report CAUTI

Date of event when first element within Infection Window used to meet CAUTI criterion occurs

