

Utah Hospital Quality Comparisons, 2015

A Report to the Utah State Legislature, Health and Human
Services Interim Committee

June 30, 2015

Submitted by

Utah Health Data Committee
Office of Health Care Statistics
Utah Department of Health

Contact: Norman Thurston, Ph.D.
Executive Secretary
nthurston@utah.gov
801-538-7052



Executive Summary

Mission of the Office of Health Care Statistics

The mission of the Utah Department of Health, Office of Health Care Statistics (OHCS), is to collect, analyze and disseminate health data to facilitate the promotion and accessibility of quality and cost-effective health care and also to facilitate interaction and learning among those with concern for health care issues.

Legislative Requirement

Section 26-33a-106.5(6)(c)(iii) requires the Department to “identify and report to the Legislature’s Health and Human Services Interim Committee by ... every July 1... until July 1, 2019, at least three new measures of quality to be added to the report each year.”

The Updated Utah Hospital Quality Comparison Report

OHCS uses a free software product called MONAHRQ (My Own Network powered by AHRQ) to publish comparison data on Utah hospital quality. Each year, OHCS reviews newly available quality measures to determine which are appropriate to be added to the quality report. These measures are based on nationally and generally recognized quality standards. This year, we have identified nine new quality measures to be added to the report.

On May 18, 2015, OHCS published a redesigned version of the quality comparison report using an updated version of the software. In addition to new quality measures, the updated tool includes several new features to help users of the data. The tool now includes information about nursing care facilities, physicians, and year-over-year trend data on hospital utilization, among other features.

Utah Hospital Quality Comparisons 2015 Report

To Utah State Legislature, Health and Human Services Interim Committee



Print | Share this Page | Feedback

Home | Hospitals | Nursing Homes | Physicians | Resources | About Us

2013 Utah Hospital Comparison Report - All Audiences



Get Started

This website provides information on the quality of all the hospitals and nursing homes in the state. It also provides basic information on all the physicians. You can limit what you look at by narrowing your search to the things that mean the most to you:



Hospitals

Find hospitals by location

BROWSE



Nursing Homes

Find and compare nursing homes

BROWSE



Physicians

Get profiles of physicians by location

BROWSE



Nine new hospital quality measures!



Average

For five of the new measures, Utah's rates are comparable with the National Average



Better than average

Utah is doing better than the nation on how often patients died in the hospital after an operation to repair an abnormally enlarged blood vessel supplying blood to the stomach, pelvis and legs (*called abdominal aortic aneurysm repair*).

For central line-associated bloodstream infections (CLABSIs), Utah's rates were better overall than the nation. For example, Intermountain Medical Center had one-third as many patients with CLABSI infections as expected than other hospitals nationwide of similar type and size.



Below average

Utah patients are more than twice as likely to die after developing a complication that should have been identified quickly and treated than the national average, and Dixie Regional Medical Center experienced 112 deaths per 1,000, compared to the national rate of 12 deaths per 1,000.

Utah had slightly more patients who had one of eleven common patient safety problems in the hospital than the nation. Eleven of Utah's hospitals showed room for improvement, with the Veterans Administrative Medical Center showing the most room for improvement.

Nine New Hospital Quality Measures

MORT-30-AMI, Dying within 30-days after getting care in the hospital for a heart attack

IQI 08, How often patients die in the hospital during or after surgery on the esophagus

IQI 09 - How often patients die in the hospital during or after pancreas surgery

IQI 11, How often patients die in the hospital during or after a surgery to fix the artery

PSI 04 - How often patients died after developing a complication that should have been identified quickly and treated.

OP-2 - Patients who come to the hospital with chest pain or possible heart attack who got drugs to break up blood clots within 30 minutes of arrival.

IQI 24 - How often the hospital removes a healthy appendix in elderly patients

HAI-1 - Central Line Associated Blood Stream Infections


IQI 90 - How well this hospital keeps patients safe based on eleven patient safety problems




The ability to **trend year-over-year hospital utilization data** for the most recent five years and to view the data in a report or chart.

Year	County Number of discharges	County Mean costs in dollars	County Rate of Discharges (Per 1,000 Persons)
2009	398	\$9,491	0.136
2010	378	\$11,197	0.130
2011	402	\$13,312	0.139
2012	360	\$15,494	0.125
2013	305	\$16,563	0.105
	Show Chart	Show Chart	Show Chart

County Number of discharges



County Mean costs in dollars



Enhanced! Rates of conditions and procedures, number of hospital stays, and charges or costs for hospital stays are now provided at the state, county, and local health district levels.



New! CMS nursing home reports which provide quality ratings for health inspections, both long and short-term stays, and staffing information for **99 Utah certified nursing care facilities**




New! CMS physician profile and location reports for **6,700 Utah physicians**



New! A short **video** to guide consumers about effective ways to use health care quality reports.

New! A **safe surgery infographic**, which provides engaging, easy-to-understand, and shareable information on safe surgery.



For more information, please visit <https://health.utah.gov/myhealthcare/monahrq/#/>

Table 1: Hospital Comparisons for MORT-30-AMI, IQI 08, and IQI 09

	MORT-30-AMI, Dying within 30-days after getting care in the hospital for a heart attack	IQI 08, How often patients die in the hospital during or after surgery on the esophagus	IQI 09 - How often patients die in the hospital during or after pancreas surgery
	Nationwide Mean	Nationwide Mean	Nationwide Mean
	14.9	4.46	5.35
Alta View Hospital	Not enough data to report	Not enough data to report	Not enough data to report
American Fork Hospital	Not enough data to report	Not enough data to report	 Better than average
	-	-	0.0000 (0.0000, 30.8661)
Ashley Regional Medical Center	Not enough data to report	Not enough data to report	Not enough data to report
Bear River Valley Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Beaver Valley Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Benchmark Behavioral Health Systems	Not enough data to report	Not enough data to report	Not enough data to report
Blue Mountain Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Brigham City Community Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Cache Valley Specialty Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Castleview Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Central Valley Medical Center	Not enough data to report	Not enough data to report	Not enough data to report
Davis Hospital & Medical Center	 Average	Not enough data to report	Not enough data to report
	15.1 (11.3 - 20.3)	-	-
Delta Community Medical Center	Not enough data to report	Not enough data to report	Not enough data to report
Dixie Regional Medical Center	 Average	 Average	 Better than average
	14.7 (11.9 - 17.8)	14.6488 (3.2118, 26.0858)	0.0000 (0.0000, 10.1957)
Fillmore Community Medical Center	Not enough data to report	Not enough data to report	Not enough data to report
Garfield Memorial Hospital and Clinics	Not enough data to report	Not enough data to report	Not enough data to report
Gunnison Valley Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Healthsouth Rehabilitation Hospital Of Utah	Not enough data to report	Not enough data to report	Not enough data to report

	MORT-30-AMI, Dying within 30-days after getting care in the hospital for a heart attack	IQI 08, How often patients die in the hospital during or after surgery on the esophagus	IQI 09 - How often patients die in the hospital during or after pancreas surgery
Heber Valley Medical Center	Not enough data to report	Not enough data to report	Not enough data to report
Highland Ridge Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Intermountain Medical Center	 Average 14.2 (11.4 - 17.5)	 Better than average 0.0000 (0.0000, 12.9961)	 Better than average 1.0467 (0.0000, 4.6718)
Kane County Hospital	 Average 14.6 (11.1 - 19.1)	Not enough data to report	Not enough data to report
LDS Hospital	Not enough data to report	Not enough data to report	 Better than average 0.0000 (0.0000, 17.1134)
Lakeview Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Logan Regional Hospital	12.8 (9.6 - 16.6) Not enough data to report	Not enough data to report	 Better than average 0.0000 (0.0000, 27.5210)
Lone Peak Hospital	 Average 13.9 (10.5 - 18.1)	Not enough data to report	Not enough data to report
McKay Dee Hospital Center	 Average 14.7 (11.4 - 18.7)	 Better than average 0.0000 (0.0000, 17.4635)	 Better than average 0.0000 (0.0000, 6.1179)
Milford Valley Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Moab Regional Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Mountain View Hospital	 Average 14.3 (10.6 - 18.9)	Not enough data to report	Not enough data to report
Mountain West Medical Center	Not enough data to report	Not enough data to report	Not enough data to report
Ogden Regional Medical Center	 Average 14.9 (11.2 - 19.2)	Not enough data to report	 Average 13.3850 (0.4061, 26.3639)
Orem Community Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Park City Medical Center	Not enough data to report	Not enough data to report	Not enough data to report
Pioneer Valley Hospital	Not enough data to report	Not enough data to report	 Average 52.6861 (26.8867, 78.4854)
Primary Children's Medical Center	Not enough data to report	Not enough data to report	 Better than average 0.0000 (0.0000, 36.2453)
Promise Hospital of Salt Lake	Not enough data to report	Not enough data to report	Not enough data to report
Riverton Hospital	Not enough data to report	Not enough data to report	Not enough data to report

	MORT-30-AMI, Dying within 30-days after getting care in the hospital for a heart attack	IQI 08, How often patients die in the hospital during or after surgery on the esophagus	IQI 09 - How often patients die in the hospital during or after pancreas surgery
Salt Lake Regional Medical Center	 Average 14.9 (10.8 - 20.2)	 Better than average 0.0000 (0.0000, 29.5312)	 Average 5.7271 (1.5276, 9.9266)
San Juan Hospital	- Not enough data to report	- Not enough data to report	- Not enough data to report
Sanpete Valley Hospital	- Not enough data to report	- Not enough data to report	- Not enough data to report
Sevier Valley Hospital	- Not enough data to report	- Not enough data to report	- Not enough data to report
Shriners Hospital for Children	- Not enough data to report	- Not enough data to report	- Not enough data to report
St. Mark's Hospital	 Average 14.2 (11.3 - 17.6)	 Better than average 0.0000 (0.0000, 18.1798)	 Average 8.5621 (0.0000, 18.8044)
The Orthopedic Specialty Hospital	- Not enough data to report	- Not enough data to report	- Not enough data to report
Timpanogos Regional Hospital	 Average 16.1 (12.3 - 20.4)	- Not enough data to report	 Better than average 0.0000 (0.0000, 27.5812)
Uintah Basin Medical Center	- Not enough data to report	- Not enough data to report	- Not enough data to report
University of Utah Hospitals and Clinics	 Average 14.8 (11.7 - 18.6)	 Better than average 0.0000 (0.0000, 6.9954)	 Better than average 0.7363 (0.0000, 3.7502)
University of Utah Neuropsychiatric Institute	- Not enough data to report	- Not enough data to report	- Not enough data to report
Utah Valley Regional Medical Center	 Average 14.3 (11.3 - 17.8)	 Average 23.7873 (2.9014, 44.6731)	 Better than average 0.0000 (0.0000, 12.0611)
Utah Valley Specialty Hospital	- Not enough data to report	- Not enough data to report	- Not enough data to report
Valley View Medical Center	 Average 15.4 (11.5 - 19.5)	- Not enough data to report	- Not enough data to report
Veterans Administration Medical Center	 Average 13.7 (10.4 - 17.8)	 Better than average 0.0000 (0.0000, 22.9782)	 Better than average 0.0000 (0.0000, 21.5756)

Table 2: Hospital Comparisons for IQI 11, PSI 04, and OP-2

	<p>IQI 11, How often patients die in the hospital during or after a surgery to fix the artery</p> <p>Nationwide Mean 4.48</p>	<p>PSI 04 - How often patients died after developing a complication that should have been identified quickly and treated.</p> <p>Nationwide Mean 12.07</p>	<p>OP-2 - Patients who come to the hospital with chest pain or possible heart attack who got drugs to break up blood clots within 30 minutes of arrival.</p> <p>Nationwide Mean 59.0</p>
Alta View Hospital	Not enough data to report	 Average	Not enough data to report
American Fork Hospital	Not enough data to report	46.6941 (0.0000, 185.2511)  Average	Not enough data to report
Ashley Regional Medical Center	Not enough data to report	82.0632 (0.0000, 208.2672)  Better than average	Not enough data to report
Bear River Valley Hospital	Not enough data to report	0.0000 (0.0000, 405.0328) Not enough data to report	Not enough data to report
Beaver Valley Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Benchmark Behavioral Health Systems	Not enough data to report	Not enough data to report	Not enough data to report
Blue Mountain Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Brigham City Community Hospital	Not enough data to report	 Better than average	Not enough data to report
Cache Valley Specialty Hospital	Not enough data to report	0.0000 (0.0000, 215.0235)  Better than average	Not enough data to report
Castleview Hospital	Not enough data to report	0.0000 (0.0000, 410.3468)  Average	 Below average
Central Valley Medical Center	Not enough data to report	117.3829 (0.0000, 333.1304)  Average	57.0 Not enough data to report
Davis Hospital & Medical Center	 Better than average 0.0000 (0.0000, 39.0407)	148.4637 (0.0000, 393.1731)  Average	Not enough data to report
Delta Community Medical Center	Not enough data to report	87.9630 (0.0000, 194.8581) Not enough data to report	Not enough data to report
Dixie Regional Medical Center	 Average 92.3292 (73.4790, 100.0000)	 Below average 111.6743 (65.4048, 157.9438)	Not enough data to report
Fillmore Community Medical Center	Not enough data to report	Not enough data to report	Not enough data to report
Garfield Memorial Hospital and Clinics	Not enough data to report	Not enough data to report	Not enough data to report
Gunnison Valley Hospital	Not enough data to report	 Better than average 0.0000 (0.0000, 782.1109)	Not enough data to report
Healthsouth Rehabilitation Hospital Of Utah	Not enough data to report	Not enough data to report	Not enough data to report

	IQI 11, How often patients die in the hospital during or after a surgery to fix the artery	PSI 04 - How often patients died after developing a complication that should have been identified quickly and treated.	OP-2 - Patients who come to the hospital with chest pain or possible heart attack who got drugs to break up blood clots within 30 minutes of arrival.
Heber Valley Medical Center	Not enough data to report	Better than average 0.0000 (0.0000, 387.9685)	Not enough data to report
Highland Ridge Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Intermountain Medical Center	Average 13.2782 (9.2686, 17.2877)	Below average 74.8449 (41.0355, 108.6542)	Not enough data to report
Kane County Hospital	Not enough data to report	Not enough data to report	Not enough data to report
LDS Hospital	Not enough data to report	Below average 63.5078 (3.8555, 123.1600)	Not enough data to report
Lakeview Hospital	Not enough data to report	Average 98.0033 (0.0000, 208.9236)	Not enough data to report
Logan Regional Hospital	Not enough data to report	Better than average 0.0000 (0.0000, 162.5088)	Not enough data to report
Lone Peak Hospital	Not enough data to report	Not enough data to report	Not enough data to report
McKay Dee Hospital Center	Better than average 24.3751 (4.9639, 43.7863)	Average 44.1927 (0.0000, 97.5771)	Not enough data to report
Milford Valley Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Moab Regional Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Mountain View Hospital	Not enough data to report	Average 117.9774 (0.0000, 341.8879)	Not enough data to report
Mountain West Medical Center	Not enough data to report	Better than average 0.0000 (0.0000, 284.8295)	Not enough data to report
Ogden Regional Medical Center	Better than average 0.0000 (0.0000, 16.4746)	Below average 83.3415 (4.8795, 161.8034)	Not enough data to report
Orem Community Hospital	Not enough data to report	Better than average 0.0000 (0.0000, 1000.0000)	Not enough data to report
Park City Medical Center	Not enough data to report	Better than average 0.0000 (0.0000, 230.1455)	Not enough data to report
Pioneer Valley Hospital	Not enough data to report	Average 78.4095 (0.0000, 255.5458)	Not enough data to report
Primary Children's Medical Center	Not enough data to report	Better than average 0.0000 (0.0000, 318.4246)	Not enough data to report
Promise Hospital of Salt Lake	Not enough data to report	Not enough data to report	Not enough data to report
Riverton Hospital	Not enough data to report	Better than average 0.0000 (0.0000, 189.1714)	Not enough data to report

	<p>IQI 11, How often patients die in the hospital during or after a surgery to fix the artery</p>	<p>PSI 04 - How often patients died after developing a complication that should have been identified quickly and treated.</p>	<p>OP-2 - Patients who come to the hospital with chest pain or possible heart attack who got drugs to break up blood clots within 30 minutes of arrival.</p>
Salt Lake Regional Medical Center	<p> Better than average 0.0000 (0.0000, 47.5670) Not enough data to report</p>	<p> Below average 39.2698 (0.0000, 81.8915) Not enough data to report</p>	<p>- Not enough data to report</p>
San Juan Hospital	<p>- Not enough data to report</p>	<p>- Not enough data to report</p>	<p>- Not enough data to report</p>
Sanpete Valley Hospital	<p>- Not enough data to report</p>	<p> Better than average 0.0000 (0.0000, 959.1391)</p>	<p>- Not enough data to report</p>
Sevier Valley Hospital	<p>- Not enough data to report</p>	<p> Better than average 0.0000 (0.0000, 486.7250)</p>	<p>- Not enough data to report</p>
Shriners Hospital for Children	<p>- Not enough data to report</p>	<p>- Not enough data to report</p>	<p>- Not enough data to report</p>
St. Mark's Hospital	<p> Average 30.6633 (18.1452, 43.1815) Not enough data to report</p>	<p> Below average 63.3874 (21.7940, 104.9809)</p>	<p>- Not enough data to report</p>
The Orthopedic Specialty Hospital	<p>- Not enough data to report</p>	<p> Better than average 0.0000 (0.0000, 103.0772)</p>	<p>- Not enough data to report</p>
Timpanogos Regional Hospital	<p> Better than average 0.0000 (0.0000, 100.0000) Not enough data to report</p>	<p> Average 67.0315 (0.0000, 182.9220)</p>	<p>- Not enough data to report</p>
Uintah Basin Medical Center	<p>- Not enough data to report</p>	<p> Better than average 0.0000 (0.0000, 444.3913)</p>	<p>- Not enough data to report</p>
University of Utah Hospitals and Clinics	<p> Better than average 6.9552 (0.0000, 17.2567) Not enough data to report</p>	<p> Average 28.4164 (0.0000, 75.3381) Not enough data to report</p>	<p>- Not enough data to report</p>
University of Utah Neuropsychiatric Institute	<p>- Not enough data to report</p>	<p>- Not enough data to report</p>	<p>- Not enough data to report</p>
Utah Valley Regional Medical Center	<p> Average 28.4423 (13.6979, 43.1868) Not enough data to report</p>	<p> Average 30.1082 (0.0000, 74.4056) Not enough data to report</p>	<p>- Not enough data to report</p>
Utah Valley Specialty Hospital	<p>- Not enough data to report</p>	<p>- Not enough data to report</p>	<p>- Not enough data to report</p>
Valley View Medical Center	<p>- Not enough data to report</p>	<p> Average 74.8535 (0.0000, 248.8193) Not enough data to report</p>	<p>- Not enough data to report</p>
Veterans Administration Medical Center	<p> Average 18.6712 (6.6627, 30.6798)</p>	<p>-</p>	<p>- Not enough data to report</p>

Table 3: Hospital Comparisons for IQI 24, HAI-1, and IQI 90

	IQI 24 - How often the hospital removes a healthy appendix in elderly patients Nationwide Mean 1.17	HAI-1 - Central Line Associated Blood Stream Infections Nationwide Mean 1.00	IQI 90 - How well this hospital keeps patients safe based on eleven patient safety problems Nationwide Mean 1.0
Alta View Hospital	 Average 0.7194 (0.0000, 2.1244)	Not enough data to report	 Average 1.1381 (0.8432, 1.4331)
American Fork Hospital	 Better than average 0.0000 (0.0000, 0.0000)	Not enough data to report	 Below average 1.3271 (1.0427, 1.6116)
Ashley Regional Medical Center	 Better than average 0.0000 (0.0000, 0.0000)	Not enough data to report	 Average 1.0374 (0.6013, 1.4735)
Bear River Valley Hospital	 Average 8.3333 (0.0000, 23.9713)	Not enough data to report	 Average 1.2887 (0.7776, 1.7999)
Beaver Valley Hospital	 Better than average 0.0000 (0.0000, 0.0000)	Not enough data to report	 Average 1.1656 (0.6245, 1.7068)
Benchmark Behavioral Health Systems	Not enough data to report	Not enough data to report	Not enough data to report
Blue Mountain Hospital	Not enough data to report	Not enough data to report	Not enough data to report
Brigham City Community Hospital	 Average 4.9383 (0.2198, 9.6568)	Not enough data to report	 Average 0.7272 (0.3293, 1.1250)
Cache Valley Specialty Hospital	 Better than average 0.0000 (0.0000, 0.0000)	Not enough data to report	 Average 1.0179 (0.5732, 1.4626)
Castleview Hospital	 Better than average 0.0000 (0.0000, 0.0000)	Not enough data to report	 Average 0.9462 (0.5630, 1.3293)
Central Valley Medical Center	 Better than average 0.0000 (0.0000, 0.0000)	Not enough data to report	 Average 0.9824 (0.5026, 1.4623)
Davis Hospital & Medical Center	 Average 0.5556 (0.0000, 1.6414)	 Average 1.8 (0.5 - 5.0)	 Below average 1.4933 (1.2140, 1.7725)
Delta Community Medical Center	Not enough data to report	Not enough data to report	 Average 0.9855 (0.4380, 1.5329)
Dixie Regional Medical Center	 Better than average 0.1070 (0.0000, 0.3165)	 Average 0.3 (0.0 - 1.3)	 Below average 1.3764 (1.1960, 1.5567)
Fillmore Community Medical Center	Not enough data to report	Not enough data to report	 Average 1.0914 (0.5427, 1.6401)
Garfield Memorial Hospital and Clinics	Not enough data to report	Not enough data to report	 Average 0.9750 (0.4313, 1.5186)
Gunnison Valley Hospital	 Better than average 0.0000 (0.0000, 0.0000)	Not enough data to report	 Average 1.1152 (0.6094, 1.6211)
Healthsouth Rehabilitation Hospital Of Utah	Not enough data to report	Not enough data to report	Not enough data to report
Heber Valley Medical Center	 Better than average 0.0000 (0.0000, 0.0000)	Not enough data to report	 Average 0.8963 (0.3770, 1.4157)

	<p>IQI 24 - How often the hospital removes a healthy appendix in elderly patients</p> <p>Not enough data to report</p>	<p>HAI-1 - Central Line Associated Blood Stream Infections</p> <p>Not enough data to report</p>	<p>IQI 90 - How well this hospital keeps patients safe based on eleven patient safety problems</p> <p>Not enough data to report</p>
Highland Ridge Hospital	-	-	-
Intermountain Medical Center	<p> Better than average</p> <p>0.3517 (0.0000, 0.7490)</p>	<p> Better than average</p> <p>.03 (0.2 - 0.6)</p>	<p> Below average</p> <p>1.7749 (1.6460, 1.9037)</p>
Kane County Hospital	<p> Better than average</p> <p>0.0000 (0.0000, 0.0000)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>0.9693 (0.4275, 1.5111)</p>
LDS Hospital	<p> Average</p> <p>0.5089 (0.0000, 1.2124)</p>	<p> Average</p> <p>0.7 (0.1 - 2.3)</p>	<p> Below average</p> <p>1.6503 (1.4439, 1.8568)</p>
Lakeview Hospital	<p> Average</p> <p>1.1952 (0.0000, 2.5396)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>0.9335 (0.6302, 1.2369)</p>
Logan Regional Hospital	<p> Average</p> <p>0.4854 (0.0000, 1.4346)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>1.0235 (0.7408, 1.3061)</p>
Lone Peak Hospital	<p>Not enough data to report</p>	<p>Not enough data to report</p>	<p>Not enough data to report</p>
McKay Dee Hospital Center	<p> Better than average</p> <p>0.1698 (0.0000, 0.5023)</p>	<p> Average</p> <p>0.4 (0.1 - 1.3)</p>	<p> Below average</p> <p>1.4892 (1.3166, 1.6617)</p>
Milford Valley Hospital	<p>Not enough data to report</p>	<p>Not enough data to report</p>	<p> Average</p> <p>0.9905 (0.4411, 1.5399)</p>
Moab Regional Hospital	<p> Average</p> <p>11.1111 (0.0000, 31.6434)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>1.3179 (0.8074, 1.8285)</p>
Mountain View Hospital	<p> Average</p> <p>1.5504 (0.0000, 3.6824)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>0.8702 (0.5395, 1.2008)</p>
Mountain West Medical Center	<p> Better than average</p> <p>0.0000 (0.0000, 0.0000)</p>	<p>Not enough data to report</p>	<p> Below average</p> <p>1.4759 (1.1068, 1.8450)</p>
Ogden Regional Medical Center	<p> Average</p> <p>0.6289 (0.0000, 1.8578)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>1.0049 (0.7550, 1.2549)</p>
Orem Community Hospital	<p> Better than average</p> <p>0.0000 (0.0000, 0.0000)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>1.1061 (0.6209, 1.5912)</p>
Park City Medical Center	<p> Better than average</p> <p>0.0000 (0.0000, 0.0000)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>1.1991 (0.7830, 1.6152)</p>
Pioneer Valley Hospital	<p> Average</p> <p>1.7857 (0.0000, 4.2384)</p>	<p> Average</p> <p>0.4 (0.0 - 1.9)</p>	<p> Average</p> <p>0.9241 (0.5733, 1.2750)</p>
Primary Children's Medical Center	<p>Not enough data to report</p>	<p>Not enough data to report</p>	<p> Average</p> <p>1.4061 (0.9134, 1.8988)</p>
Promise Hospital of Salt Lake	<p>Not enough data to report</p>	<p>Not enough data to report</p>	<p>Not enough data to report</p>
Riverton Hospital	<p> Better than average</p> <p>0.0000 (0.0000, 0.0000)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>1.2751 (0.9562, 1.5941)</p>
Salt Lake Regional Medical Center	<p> Average</p> <p>0.9259 (0.0000, 1.9688)</p>	<p> Average</p> <p>2.2 (0.9 - 4.5)</p>	<p> Below average</p> <p>1.8666 (1.6137, 2.1195)</p>

	<p>IQI 24 - How often the hospital removes a healthy appendix in elderly patients</p>	<p>HAI-1 - Central Line Associated Blood Stream Infections</p>	<p>IQI 90 - How well this hospital keeps patients safe based on eleven patient safety problems</p>
San Juan Hospital	<p> Better than average</p> <p>0.0000 (0.0000, 0.0000)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>1.0320 (0.5268, 1.5371)</p>
Sanpete Valley Hospital	<p> Better than average</p> <p>0.0000 (0.0000, 0.0000)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>1.1237 (0.5939, 1.6535)</p>
Sevier Valley Hospital	<p> Better than average</p> <p>0.0000 (0.0000, 0.0000)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>0.9030 (0.4336, 1.3725)</p>
Shriners Hospital for Children	<p>Not enough data to report</p>	<p>Not enough data to report</p>	<p> Average</p> <p>0.9737 (0.4277, 1.5198)</p>
St. Mark's Hospital	<p> Average</p> <p>1.0309 (0.3609, 1.7010)</p>	<p> Average</p> <p>0.6 (0.1 - 2.0)</p>	<p> Below average</p> <p>1.5342 (1.3667, 1.7017)</p>
The Orthopedic Specialty Hospital	<p>Not enough data to report</p>	<p>Not enough data to report</p>	<p> Average</p> <p>1.2280 (0.8476, 1.6085)</p>
Timpanogos Regional Hospital	<p> Average</p> <p>0.6329 (0.0000, 1.8695)</p>	<p> Average</p> <p>0.4 (0.0 - 1.7)</p>	<p> Average</p> <p>0.8744 (0.5899, 1.1589)</p>
Uintah Basin Medical Center	<p> Better than average</p> <p>0.0000 (0.0000, 0.0000)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>0.8100 (0.3495, 1.2706)</p>
University of Utah Hospitals and Clinics	<p> Better than average</p> <p>0.3006 (0.0000, 0.6403)</p>	<p> Average</p> <p>0.8 (0.5 - 1.2)</p>	<p> Average</p> <p>1.0627 (0.9332, 1.1923)</p>
University of Utah Neuropsychiatric Institute	<p>Not enough data to report</p>	<p>Not enough data to report</p>	<p>Not enough data to report</p>
Utah Valley Regional Medical Center	<p> Average</p> <p>1.6561 (0.7633, 2.5488)</p>	<p> Average</p> <p>0.8 (0.5 - 1.3)</p>	<p> Below average</p> <p>1.4604 (1.3044, 1.6163)</p>
Utah Valley Specialty Hospital	<p>Not enough data to report</p>	<p>Not enough data to report</p>	<p>Not enough data to report</p>
Valley View Medical Center	<p> Average</p> <p>3.1496 (0.1120, 6.1872)</p>	<p>Not enough data to report</p>	<p> Average</p> <p>1.0702 (0.7165, 1.4239)</p>
Veterans Administration Medical Center	<p> Better than average</p> <p>0.0000 (0.0000, 0.0000)</p>	<p>Not enough data to report</p>	<p> Below average</p> <p>2.5308 (2.2501, 2.8115)</p>