


Percentage of Children for Whom Parents Were Given
Immunization Records by Community, Northwest Salt Lake
Valley Community Children Age 17 or Under, 1999



- The vast majority of households with children (98%) reported that they had been given their child's immunization record. There was little variation on this finding across the subgroups analyzed.

**Immunizations: Percentage of Children for Whom Parents Were Given
Immunization Records (Question 28)**
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community
Children Age 17 or Under, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution, Children Age 17 or Under		Survey Estimates of Children for Whom Parents Given Their Child's Immunization Records		
	Percentage Distribution	Number of Persons ¹	Percentage of Children for Whom Parents Were Given Their Child's Immunization Records ²	Number of Persons ^{1,3}	Percentage Distribution of Children for Whom Parents Were Given Their Child's Immunization Records by Category
Given Child's Immunization Records					
Yes	97.7%	12,900			
No	2.3%	300			
Total, Age 17 or Under	100.0%	13,200			
Sex					
Males	50.6%	6,700	97.2% ± 1.6%	6,500	50.4%
Females	49.4%	6,500	98.1% ± 1.2%	6,400	49.6%
Total, Age 17 or Under	100.0%	13,200	97.7% ± 1.2%	12,900	100.0%
Age Group					
0-2	19.7%	2,600	94.9% ± 2.9%	2,500	19.4%
3-5	18.5%	2,400	100.0% ± I	2,400	18.6%
6-17	61.8%	8,200	97.8% ± 1.5%	8,000	62.0%
Total, Age 17 or Under	100.0%	13,200	97.7% ± 1.2%	12,900	100.0%
Community					
Jordan Meadows	12.7%	1,700	95.1% ± 4.0%	1,600	12.4%
Poplar Grove	25.6%	3,400	97.7% ± 3.0%	3,300	25.6%
Rose Park	15.5%	2,000	98.9% ± 1.5%	2,000	15.5%
State Fairpark	12.6%	1,700	99.0% ± 1.9%	1,700	13.2%
West Salt Lake	21.4%	2,800	98.1% ± 2.2%	2,700	20.9%
Westpointe	11.1%	1,500	96.2% ± 3.5%	1,400	10.9%
Other	1.1%	100	100.0% ± I	100	0.8%
Total, Age 17 or Under	100.0%	13,200	97.7% ± 1.2%	12,900	100.0%
Hispanic Ethnicity					
Hispanic	48.2%	6,400	98.5% ± 1.6%	6,300	48.8%
Non-Hispanic	51.8%	6,800	96.9% ± 1.6%	6,600	51.2%
Total, Age 17 or Under	100.0%	13,200	97.7% ± 1.2%	12,900	100.0%
Race					
Native American	3.2%	400	100.0% ± I	400	3.1%
Asian	5.4%	700	96.7% ± 4.5%	700	5.4%
Black	7.1%	900	96.1% ± 5.6%	900	7.0%
Pacific Islander	10.8%	1,400	96.9% ± 3.0%	1,400	10.9%
White	45.9%	6,100	96.9% ± 2.1%	5,900	45.7%
Other	36.1%	4,800	98.6% ± 2.4%	4,700	36.4%
Total, Age 17 or Under ⁴	100.0%	13,200	97.7% ± 1.2%	12,900	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval


3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

I Estimates of 0% and 100% do not have confidence intervals, but they have not been calculated here.

Percentage of Children Who Took Fluoride by Community,
Northwest Salt Lake Valley Community Children Age 6 Mo.
to 16 Years, 1999



- Fluoride supplementation is recommended for all children aged 6 months to 16 years. Only about half the children in that recommended age group (48%) were reported to take fluoride.
- Fluoride supplementation was more common among residents of West Salt Lake (57%) and those who were Asian (57%), although the differences were not significant.

**Fluoride: Percentage of Children Who Took Fluoride (Question 34)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Children
Age 6 Mo. - 16 Years, 1999.**

Demographic Subgroup	Northwest SL Valley Community Distribution, Children Age 6 Mo. to 16 Years		Survey Estimates of Children Who Took Fluoride		
	Percentage Distribution	Number of Persons ¹	Percentage of Children Who Took Fluoride ²	Number of Persons ^{1,3}	Percentage Distribution of Children Who Took Fluoride by Category
Took Fluoride					
Yes	48.0%	5,800			
No	52.0%	6,300			
Total, Age 6 Mo. - 16 Years	100.0%	12,100			
Sex					
Males	50.5%	6,100	46.5% ± 5.1%	2,800	48.3%
Females	49.5%	6,000	49.6% ± 5.3%	3,000	51.7%
Total, Age 6 Mo. - 16 Years	100.0%	12,100	48.0% ± 4.3%	5,800	100.0%
Age Group					
6 Months - 2 Years	17.8%	2,200	52.7% ± 6.8%	1,200	20.7%
3-5	20.1%	2,400	52.3% ± 7.0%	1,300	22.4%
6-16	62.1%	7,500	45.3% ± 5.1%	3,400	58.6%
Total, Age 6 Mo. - 16 Years	100.0%	12,100	48.0% ± 4.3%	5,800	100.0%
Community					
Jordan Meadows	12.1%	1,500	43.2% ± 12.4%	600	10.3%
Poplar Grove	25.7%	3,100	42.2% ± 9.0%	1,300	22.4%
Rose Park	15.2%	1,800	53.3% ± 10.7%	1,000	17.2%
State Fairpark	13.2%	1,600	46.0% ± 11.4%	700	12.1%
West Salt Lake	21.6%	2,600	57.1% ± 9.5%	1,500	25.9%
Westpointe	11.1%	1,300	43.9% ± 10.9%	600	10.3%
Other	1.2%	100	49.2% ± 32.6%	***	***
Total, Age 6 Mo. - 16 Years	100.0%	12,100	48.0% ± 4.3%	5,800	100.0%
Hispanic Ethnicity					
Hispanic	48.0%	5,800	46.0% ± 6.3%	2,700	46.6%
Non-Hispanic	52.0%	6,300	49.9% ± 6.2%	3,100	53.4%
Total, Age 6 Mo. - 16 Years	100.0%	12,100	48.0% ± 4.3%	5,800	100.0%
Race					
Native American	3.0%	400	*** ± ***	***	***
Asian	5.1%	600	57.1% ± 22.8%	300	5.2%
Black	7.3%	900	45.9% ± 21.6%	400	6.9%
Pacific Islander	10.8%	1,300	46.0% ± 18.0%	600	10.3%
White	46.0%	5,600	52.4% ± 6.9%	2,900	50.0%
Other	35.8%	4,300	45.8% ± 7.9%	2,000	34.5%
Total, Age 6 Mo. - 16 Years ⁴	100.0%	12,100	48.0% ± 4.3%	5,800	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates


Fluoride: Why Was Fluoride Not Taken? (Question 35)
Northwest Salt Lake Valley Community Children Age 6 Mo. to 16 Years Who Did Not Take Fluoride, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution, Children Age 6 Mo. to 16 Years Who Did Not Take Fluoride	
	Percentage Distribution	Number of Persons ¹
Why Not Take Fluoride		
Lack of Provider	10.6%	700
No Prescription	21.3%	1,300
Cost	17.0%	1,100
Forget to Give	8.1%	500
Don't Want Child to Take	6.0%	400
Not Important	23.9%	1,500
Child Too Old or Too Young	9.0%	600
Other	4.0%	300
Total, Children Age 6 Mo. to 16 Years Who Did Not Take Fluoride	100.0%	6,300

¹ Rounded to the nearest 100 persons.

*** Sample size insufficient to produce population estimates

Percentage of Children Who Had One or More Hospital
Emergency Department Visits in the Past Year by
Community, Northwest Salt Lake Valley Community
Children Age 17 or Under, 1999



*** Sample size insufficient to produce population estimates

- In the 12 months previous to the survey, 20% of area children age 17 and under had been to a hospital emergency department.
- Emergency department visits were more common among boys (22%), younger children (children age 0-2, 29%), and children of Hispanic ethnicity (22%).

**Child Health Care: Percentage of Children Who Had One or More Hospital
Emergency Department Visits in the Past Year (Question 36)**
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Children
Age 17 or Under, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution, Children Age 17 or Under		Survey Estimates of Children Who Had One or More Hospital Emergency Room Visits in the Past Year		
	Percentage Distribution	Number of Persons ¹	Percentage of Children Who Had One or More Hospital Emergency Room Visits in the Past Year ²	Number of Persons ^{1,3}	Percentage Distribution of Children Who Had One or More Hospital Emergency Room Visits in the Past Year by Category
Hospital ER Visits in Past Year					
No Visits	80.5%	10,600			
1 Visit	12.3%	1,600			
2-3 Visits	5.9%	800			
4-9 Visits	1.2%	200			
10-12 Visits	0.2%	<100			
13+ Visits	0.0%	<100			
Total, Age 17 or Under	100.0%	13,200			
Sex					
Males	50.6%	6,700	22.2% ± 3.2%	1,500	57.7%
Females	49.4%	6,500	16.7% ± 3.5%	1,100	42.3%
Total, Age 17 or Under	100.0%	13,200	19.5% ± 2.5%	2,600	100.0%
Age Group					
0-2	19.7%	2,600	29.3% ± 5.6%	800	30.8%
3-5	18.5%	2,400	22.0% ± 5.7%	500	19.2%
6-17	61.8%	8,200	15.6% ± 2.6%	1,300	50.0%
Total, Age 17 or Under	100.0%	13,200	19.5% ± 2.5%	2,600	100.0%
Community					
Jordan Meadows	12.7%	1,700	13.5% ± 5.5%	200	7.7%
Poplar Grove	25.6%	3,400	20.0% ± 5.1%	700	26.9%
Rose Park	15.5%	2,000	21.6% ± 7.0%	400	15.4%
State Fairpark	12.6%	1,700	17.9% ± 5.9%	300	11.5%
West Salt Lake	21.4%	2,800	23.5% ± 6.4%	700	26.9%
Westpointe	11.1%	1,500	17.0% ± 5.8%	300	11.5%
Other	1.1%	100	*** ± ***	***	***
Total, Age 17 or Under	100.0%	13,200	19.5% ± 2.5%	2,600	100.0%
Hispanic Ethnicity					
Hispanic	48.2%	6,400	22.4% ± 3.7%	1,400	53.8%
Non-Hispanic	51.8%	6,800	16.9% ± 3.2%	1,200	46.2%
Total, Age 17 or Under	100.0%	13,200	19.5% ± 2.5%	2,600	100.0%
Race					
Native American	3.2%	400	*** ± ***	***	***
Asian	5.4%	700	13.3% ± 9.9%	100	3.8%
Black	7.1%	900	21.0% ± 15.0%	200	7.7%
Pacific Islander	10.8%	1,400	13.4% ± 6.2%	200	7.7%
White	45.9%	6,100	19.2% ± 3.9%	1,200	46.2%
Other	36.1%	4,800	21.5% ± 4.6%	1,000	38.5%
Total, Age 17 or Under ⁴	100.0%	13,200	19.5% ± 2.5%	2,600	100.0%

1 Rounded to the nearest 100 persons.


2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Percentage of Children Who Had a Health Professional Visit Their Home in the Past Year by Community, Northwest Salt Lake Valley Community Children Age 17 or Under, 1999



*** Sample size insufficient to produce population estimates

- About 4% of children age 17 or under had been visited by a health care professional at their home in the 12 months before the survey.
- This proportion was fairly stable across the various population subgroups analyzed.

Child Health Care: Percentage of Children Who Had a Health Professional Visit Their Home in the Past Year (Question 37)

by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Children Age 17 or Under, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution, Children Age 17 or Under		Survey Estimates of Children Who Had a Health Professional Visit Their Home in the Past Year		
	Percentage Distribution	Number of Persons ¹	Percentage of Children Who Had a Health Professional Visit Their Home in the Past Year ²	Number of Persons ^{1,3}	Percentage Distribution of Children Who Had a Health Professional Visit Their Home in the Past Year by Category
Health Professional Visited Child at Home					
Yes	3.8%	500			
No	96.2%	12,700			
Total, Age 17 or Under	100.0%	13,200			
Sex					
Males	50.6%	6,700	3.6% ± 1.6%	200	40.0%
Females	49.4%	6,500	4.1% ± 1.6%	300	60.0%
Total, Age 17 or Under	100.0%	13,200	3.8% ± 1.3%	500	100.0%
Age Group					
0-2	19.7%	2,600	4.7% ± 2.5%	100	20.0%
3-5	18.5%	2,400	4.8% ± 3.6%	100	20.0%
6-17	61.8%	8,200	3.3% ± 1.4%	300	60.0%
Total, Age 17 or Under	100.0%	13,200	3.8% ± 1.3%	500	100.0%
Community					
Jordan Meadows	12.7%	1,700	5.4% ± 3.7%	100	20.0%
Poplar Grove	25.6%	3,400	1.8% ± 1.5%	100	20.0%
Rose Park	15.5%	2,000	6.5% ± 4.0%	100	20.0%
State Fairpark	12.6%	1,700	*** ± ***	***	***
West Salt Lake	21.4%	2,800	5.9% ± 4.0%	200	40.0%
Westpointe	11.1%	1,500	*** ± ***	***	***
Other	1.1%	100	*** ± ***	***	***
Total, Age 17 or Under	100.0%	13,200	3.8% ± 1.3%	500	100.0%
Hispanic Ethnicity					
Hispanic	48.2%	6,400	3.6% ± 1.6%	200	40.0%
Non-Hispanic	51.8%	6,800	4.1% ± 2.1%	300	60.0%
Total, Age 17 or Under	100.0%	13,200	3.8% ± 1.3%	500	100.0%
Race					
Native American	3.2%	400	*** ± ***	***	***
Asian	5.4%	700	*** ± ***	***	***
Black	7.1%	900	*** ± ***	***	***
Pacific Islander	10.8%	1,400	*** ± ***	***	***
White	45.9%	6,100	3.6% ± 1.9%	200	40.0%
Other	36.1%	4,800	3.7% ± 2.1%	200	40.0%
Total, Age 17 or Under ⁴	100.0%	13,200	3.8% ± 1.3%	500	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates