


Figure 31. Percentage of Infants with Low Birth Weight (under 2500 Grams) by Whether the Rate Was Higher, Lower, or Not Different (Statistically) from the State Percentage. Utah, 1994-96.




Percentage for a small area was considered different from state percentage if its 95% confidence interval did not include the state percentage.

Data Source: Utah Department of Health, Bureau of Vital Records.

Small area designation was based on residence of mother.

Numbers on map refer to area labels (see Table 1 or list on back cover).

Figure 32. Percentage of Infants with Low Birth Weight (under 2500 Grams) by Whether the Rate Was Higher, Lower, or Not Different (Statistically) from the State Percentage. Utah Wasatch Front, 1994-96.




Percentage for a small area was considered different from state percentage if its 95% confidence interval did not include the state percentage.

Data Source: Utah Department of Health, Bureau of Vital Records.

Small area designation was based on residence of mother.


Numbers on map refer to area labels (see Table 1 or list on back cover).

Figure 33. Percentage of Mothers of Live Born Infants Who Did Not Receive Prenatal Care (PNC) in the First Trimester of Pregnancy. Utah, 1994-96.




Data Source: Utah Department of Health, Bureau of Vital Records.
 Small area designation was based on residence of mother.
 Numbers on map refer to area labels (see Table 1 or list on back cover).

Figure 34. Percentage of Mothers of Live Born Infants Who Did Not Receive Prenatal Care (PNC) in the First Trimester of Pregnancy. Utah Wasatch Front, 1994-96.



Data Source: Utah Department of Health, Bureau of Vital Records.
 Small area designation was based on residence of mother.
 Numbers on map refer to area labels (see Table 1 or list on back cover).

Figure 35. Percentage of Mothers of Live Born Infants Who Did Not Receive Prenatal Care in the First Trimester (tr.) of Pregnancy by Whether the Rate Was Higher, Lower, or Not Different (Statistically) from the State Percentage. Utah, 1994-96.




Percentage for a small area was considered different from state percentage if its 95% confidence interval did not include the state percentage.

Data Source: Utah Department of Health, Bureau of Vital Records.

Small area designation was based on residence of mother.

Numbers on map refer to area labels (see Table 1 or list on back cover).

Figure 36. Percentage of Mothers of Live Born Infants Who Did Not Receive Prenatal Care in the First Trimester (tr.) of Pregnancy by Whether the Rate Was Higher, Lower, or Not Different (Statistically) from the State Percentage. Utah Wasatch Front, 1994-96.




Percentage for a small area was considered different from state percentage if its 95% confidence interval did not include the state percentage.

Data Source: Utah Department of Health, Bureau of Vital Records.

Small area designation was based on residence of mother.


Numbers on map refer to area labels (see Table 1 or list on back cover).

Figure 37. Rate of Infant Deaths (per 1,000 Live Births). Utah, 1992-96.




Data Source: Utah Department of Health, Bureau of Vital Records.
Small area designation was based on residence of mother.
Numbers on map refer to area labels (see Table 1 or list on back cover).

Figure 38. Rate of Infant Death (per 1,000 Live Births). Utah Wasatch Front, 1992-96.




Data Source: Utah Department of Health, Bureau of Vital Records.
 Small area designation was based on residence of mother.
 Numbers on map refer to area labels (see Table 1 or list on back cover).

Figure 39. Rate of Infant Death (per 1,000 Live Births) by Whether the Rate Was Higher, Lower, or Not Different (Statistically) from the State Rate. Utah, 1992-96.



A small area rate was considered different from state percentage if its 95% confidence interval did not include the state rate.
 Data Source: Utah Department of Health, Bureau of Vital Records.
 Small area designation was based on residence of mother.
 Numbers on map refer to area labels (see Table 1 or list on back cover).

Figure 40. Rate of Infant Death (per 1,000 Live Births) by Whether the Rate Was Higher, Lower, or Not Different (Statistically) from the State Rate. Utah Wasatch Front, 1992-96.



A small area rate was considered different from state percentage if its 95% confidence interval did not include the state rate.

Data Source: Utah Department of Health, Bureau of Vital Records.

Small area designation was based on residence of mother.

Numbers on map refer to area labels (see Table 1 or list on back cover).