References

1. U.S. Department of Health and Human Services, *Healthy people 2010*. 2nd ed. With Understanding and Improving Health and Objectives for Improving Health. 2 vols. Washington, DC: U.S. Government Printing Office, November 2000.
2. Andresen, E. M., Catlin, T. K., Wyrwich, K. W., & Jackson-Thompson, J. (2003). Retest reliability of surveillance questions on health related quality of life. *J Epidemiol Community Health*, 57, 339-343.
3. Centers for Disease Control and Prevention. Health-related quality of life surveillance — United States, 1993–2002. In: Surveillance Summaries, October 28, 2005. *MMWR* 2005:54(No. SS-4).
4. U.S. Department of Health and Human Services. *Mental Health: A Report of the Surgeon General*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services, National Institutes of Health, National Institute of Mental Health, 1999.
5. Murray, C. J., & Lopez, A. D., (Eds.). (1996, August). *The global burden of disease: A comprehensive assessment of mortality and disability from diseases, injuries, and risk factors in 1990 and projected to 2020*. Cambridge, MA: Harvard University Press.
6. Mrazek, P. J., & Haggerty, R. J. (Eds.). (1994). *Reducing risks for mental disorders: Frontiers for preventive intervention research*. Washington, DC: National Academy Press.
7. Centers for Disease Control and Prevention. *Measuring Healthy Days*. Atlanta, Georgia: CDC, November 2000.
8. American Diabetes Association. (2003). Economic costs of diabetes in the U.S. in 2002. *Diabetes Care*, 26, 917-932.
9. U.S. Department of Health and Human Services. *Physical Activity and Health: A Report of the Surgeon General*. Atlanta (GA): U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, 1996.
10. Cowie, C. C., Rust, K. F., Byrd-Holt, D. D., Eberhardt, M. S., Flegal, K. M., Engelgau, M. M., et al. (2006). Prevalence of diabetes and impaired fasting glucose in adults in the U.S. population: National Health and Nutrition Examination Survey 1999–2002. *Diabetes Care*, 29, 1263-1268.
11. American Lung Association. (2006, August). *American Lung Association: Asthma in adults fact sheet*. Retrieved January 29, 2007, from http://www.lungusa.org/site/pp.asp?c=dvLUK9O0E&b=22596
12. Centers for Disease Control and Prevention. Racial/Ethnic Differences in the Prevalence and Impact of Doctor-diagnosed Arthritis—United States, 2002. *MMWR* 2005;54:119-123.
13. Centers for Disease Control and Prevention. Update: Direct and Indirect Costs of Arthritis and Other Rheumatic Conditions—United States, 1997. *MMWR* 2004;53:388-389.
14. Sheridan, S., Pignone, M., Donahue, K. (2003) Screening for high blood pressure: A review of the evidence for the U.S. Preventive Services Task Force. *Am J Prev Med*, 25, 151–158.
15. Zamorski, M. A., & Green, L. A. (2001) NHBPEP report on high blood pressure in pregnancy: A summary for family physicians. *Am Fam Physician*, 64, 263-270.
16. Pignone, M. P., Phillips, C. J., Atkins, D., Teutsch, S. M., Mulrow, C. D., & Lohr, K. N. (2001). Screening and treating adults for lipid disorders. *Am J Prev Med*. 20(Suppl. 3), 77-89.
17. U.S. Department of Health and Human Services and U.S. Department of Agriculture. *Dietary Guidelines for Americans, 2005*. 6th Edition, Washington, DC: U.S. Government Printing Office, January 2005.
18. U.S. Department of Health and Human Services. (2001). *The Surgeon General's call to action to prevent and decrease overweight and obesity: Overweight and obesity: Health consequences* [Fact sheet]. Rockville, MD: U.S.

Department of Health and Human Services, Public Health Service, Office of the Surgeon General. Retrieved January 25, 2007, from http://www.surgeongeneral.gov/topics/obesity/calltoaction/fact_consequences.htm

19. U.S. Department of Health and Human Services. *The Health Benefits of Smoking Cessation*. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control. Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. DHHS Publication No. (CDC) 90-8416. 1990.
20. Campbell, V.A., Crews, J. A., Moriarty, D. G., Zack, M. M., Blackman, D. K. Surveillance for sensory impairment, activity limitation, and health-related quality of life among older adults – United States, 1993-1997. In: CDC Surveillance Summaries, December 17, 1999. *MMWR* 1999:48(No. SS-8);131-156.
21. LaPlante, M. and Carlson, D. (1996). *Disability in the United States: Prevalence and Causes, 1992*. Disability Statistics Report (7). Washington, DC: U.S. Department of Education, National Institute on Disability and Rehabilitation Research.
22. Waidman, T., Bound. J., & Schoenbaum, M. (1995). The illusion of failure: Trends in the self-reported health of the U.S. elderly. *Milbank Q*, 73(2), 253-387.
23. Centers for Disease Control and Prevention. Self-assessed health status and selected behavioral risk factors among persons with and without health-care coverage—United States, 1994-1995. *MMWR* 1998;47:176-180.
24. Weissman, J. S., Stern, R., Fielding, S. L., and Epstein, A. M. (1991). Delayed access to health care: Risk factors, reasons, and consequences. *Ann Intern Med*, 114, 325-331.
25. Seifert, R. W. (2000, November). *Using "risk factors" to assess health care access in a community*. Boston, MA: The Access Project. Retrieved January 29, 2007, from http://www.accessproject.org/adobe/using_risk_factors.pdf
26. U.S. Department of Health and Human Services, Health Resources and Services Administration. Health services utilization. In *Women's health USA 2005* (pp. 62-74). Rockville, MD: U.S. Department of Health and Human Services, 2005. Retrieved January 29, 2007, from http://www.mchb.hrsa.gov/whusa_05/pages/0500healthsvcsutil.htm
27. American Cancer Society. *Cancer Facts and Figures 2006*. Atlanta: American Cancer Society; 2006. Retrieved June 5, 2006, from http://www.cancer.org/downloads/STT/CAFF2006PWSecured.pdf
28. Centers for Disease Control and Prevention. (2007, January 12). Colorectal (colon) cancer. In *Cancer prevention and control*. Retrieved January 29, 2007, from http://www.cdc.gov/cancer/colorectal/
29. National Center for Chronic Disease Prevention and Health Promotion. (2006). *Targeting Tobacco Use: The Nation's Leading Cause of Death*. Atlanta, GA: U.S. Department of Health and Human Services. Retrieved on January 29, 2006 from http://www.cdc.gov/nccdphp/publications/aag/osh.htm
30. U.S. Department of Health and Human Services. *The Health Consequences of Smoking: A Report of the Surgeon General*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office of Smoking and Health, 2004.
31. National Cancer Institute. (1999, August). *Health effects of exposure to environmental tobacco smoke* (Monograph No. 10). Bethesda, MD: Smoking and Tobacco Control Program (STCP), National Cancer Institute. Retrieved January 30, 2007, from National Cancer Institute, Cancer Control and Population Sciences website: http://cancercontrol.cancer.gov/tcrb/monographs/10/index.html
32. U.S. Department of Health and Human Services. *Preventing Tobacco Use Among Young People: A Report of the Surgeon General*. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 1994.

33. Naimi, T. S., Brewer, R. D., Mokdad, A., Denny, C., Serdula, M. K., & Marks, J. S. (2003). Binge drinking among U.S. adults. *JAMA*, 289, 70-75.

34. Blair, S. N., Kohl, H. W., 3rd, Paffenbarger, R. S., Jr., Clark, D. G., Hooper, K. H., & Gibbons, L. W. (1989). Physical fitness and all-cause mortality. A prospective study of healthy men and women. *JAMA*, 262, 2395-2401.

35. Wang, G., Pratt, M., Macera, C. A., Zheng, Z-J., & Heath, G. (2004). Physical activity, cardiovascular disease, and medical expenditures in U.S. adults. *Ann Behav Med*, 28(2), 88-94.

36. Erikssen, G., Liestol, K., Bjornholt, J., Thaulow, E., Sandvik, L., & Erikssen, J. (1998). Changes in physical fitness and changes in mortality. *Lancet*, 352, 759-62.

37. W.C. Wilkinson, N. Eddy, G. MacFadden and B. Burgess. *Increasing Physical Activity Through Community Design: A Guide for Public Health Practitioners*. Washington: National Center for Bicycling & Walking, May 2002.

38. Bureau of Health Promotion. *Tipping the Scales Toward a Healthier Population in Utah*. Salt Lake City, UT: Utah Department of Health 2005.

39. Ewing, R., Schmid, T., Killingsworth, R., Zlot, A., & Raudenbush, S. (2003) Relationship between urban sprawl and physical activity, obesity, and morbidity. *Am J Health Promot*, 18, 47-57.

40. Knowler, W. C., Barrett-Connor, E., Fowler, S. E., Hamman, R. F., Lachin, J. M., Walker, E. A., et al. (2002). Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. *N Engl J Med,* 346, 393-403.

41. Abell, J. E., Hootman, J. M., Zack, M. M., Moriarty, D., & Helmick, C. G. (2005). Physical activity and health related quality of life among people with arthritis. *J Epidemiol Community Health*, 59, 380-385.

42. Kesaniemi, Y. K., Danforth, E., Jr., Jensen, M.D., Kopelman, P. G., Lefebvre, P., & Reeder, B. A. (2001). Dose-response issues concerning physical activity and health: An evidence-based symposium. *Med Sci Sports Exerc*, 33(Suppl. 6), S351-358.

43. World Health Organization. (1998). *Obesity: Preventing and managing the global epidemic: Report of a WHO Consultation on Obesity, Geneva, 3-5 June 1997*. Geneva, Switzerland: Author.

44. National Institutes of Health. (1998). Clinical guidelines on the identification, evaluation, and treatment of overweight and obesity in adults – The evidence report. *Obes Res*, 6(Suppl. 2), 51S-209S.

45. Whitaker, R. C., Wright, J. A., Pepe, M. S., Seidel, K. D., & Dietz, W. H. (1997). Predicting obesity in young adulthood from childhood and parental obesity. *N Engl J Med*, 337, 869-873.

46. U.S. Department of Health and Human Services Public Health Service. *The Surgeon General's Report on Nutrition and Health*. Washington, DC: U.S. Government Printing Office, 1988.

47. Produce for Better Health Foundation. (2003). *State of the plate: Study on America's consumption of fruits and vegetables.* Wilmington, DE: NPD National Eating Trends.

48. Haggard, L., Shah, G., and Rolfs, R. T. (1998.) Assessing Community Health Status: Establishing Geographic Areas for Small Area Analysis in Utah. *Utah's Health: An Annual Review, Vol V., 1997-1998*. Salt Lake City, UT: University of Utah, The Governor Scott M. Matheson Center for Health Care Studies. Retrieved January 30, 2007, from Utah Department of Health, IBIS-PH website: http://health.utah.gov/opha/IBIShelp/sarea/SmallAreaAnalysis.htm

49. National Center for Chronic Disease Prevention and Health Promotion. (2003). Sampling and sampling information protocols [*BRFSS Policy Memos*]. (2003.1). Retrieved January 29, 2007, from http://www.cdc.gov/brfss/technical_infodata/memos/20031.htm