

Focus Area 26 **Title** Substance Abuse

Goal Reduce substance abuse to protect the health, safety, and quality of life for all, especially children.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
26.01a	Adverse Consequences of Substance Use and Abuse	Alcohol-related motor vehicle crash deaths (per 100,000 population)	4	main		???		NS					
26.01b	Adverse Consequences of Substance Use and Abuse	Alcohol-related motor vehicle crash injuries (per 100,000 population)	65	main		???		NS					
26.01c	Adverse Consequences of Substance Use and Abuse	Drug-related motor vehicle crash deaths (per 100,000 population)	DNC	main		???		NS					
26.01d	Adverse Consequences of Substance Use and Abuse	Drug-related motor vehicle crash injuries (per 100,000 population)	DNC	main		???		NS					
26.02	Adverse Consequences of Substance Use and Abuse	Cirrhosis deaths (age adjusted per 100,000 standard population)	3	main		???		NS					
26.03	Adverse Consequences of Substance Use and Abuse	Drug-induced deaths (age adjusted per 100,000 standard population)	1	main		???		NS					
26.04	Adverse Consequences of Substance Use and Abuse	Drug-related hospital emergency department visits (thousands)	350	main		???		NS					
26.05	Adverse Consequences of Substance Use and Abuse	Alcohol-related hospital emergency department visits (number)	DNC	main		???		NS					
26.06	Adverse Consequences of Substance Use and Abuse	Adolescents riding with a driver who has been drinking alcohol - Students (grades 9 through 12)	0.3	main		???		NS					

Focus Area 26 Title Substance Abuse

Goal Reduce substance abuse to protect the health, safety, and quality of life for all, especially children.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
26.07	Adverse Consequences of Substance Use and Abuse	Intentional injuries from alcohol and drug-related violence	DNC	main		???		NS					
26.08	Adverse Consequences of Substance Use and Abuse	Lost productivity due to alcohol and drug use	DNC	main		???		NS					
26.09a	Substance Use and Abuse	Average age at first use of alcohol - Adolescents (ages 12 to 17 years)	16.1	main		???		NS					
26.09b	Substance Use and Abuse	Average age at first use of marijuana -Adolescents (ages 12 to 17 years)	17.4	main		???		NS					
26.09c	Substance Use and Abuse	High school seniors never consuming alcoholic beverages	0.29	main		???		NS					
26.09d	Substance Use and Abuse	High school seniors never using illicit drugs	0.56	main		???		NS					
26.10a	Substance Use and Abuse	Adolescents not using alcohol or illicit drugs in past 30 days (ages 12 to 17 years)	0.89	main		???		NS					
26.10b	Substance Use and Abuse	Adolescents not using marijuana in past 30 days (ages 12 to 17 years)	0.007	main		???		NS					
26.10c	Substance Use and Abuse	Adults not using illicit drugs in past 30 days (ages 18 years and older)	0.02	main		???		NS					
26.11a	Substance Use and Abuse	Binge drinking - High school seniors	0.11	main		???		NS					
26.11b	Substance Use and Abuse	Binge drinking - College students	0.2	main		???		NS					
26.11c	Substance Use and Abuse	Binge drinking - Adults (ages 18 years and older)	0.06	main		???		NS					
26.11d	Substance Use and Abuse	Binge drinking - Adolescents (ages 12 to 17 years)	0.02	main		???		NS					

Focus Area 26 **Title** Substance Abuse

Goal Reduce substance abuse to protect the health, safety, and quality of life for all, especially children.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
26.12	Substance Use and Abuse	Average annual alcohol consumption (gallons, ages 14 years and older)	2	main		???		NS					
26.13a	Substance Use and Abuse	Adult females exceeding guidelines for low-risk drinking (ages 21 years and older)	0.5	main		???		NS					
26.13b	Substance Use and Abuse	Adult males exceeding guidelines for low-risk drinking (ages 21 years and older)	0.5	main		???		NS					
26.14a	Substance Use and Abuse	Steroid use among adolescents - 8th graders	0.004	main		???		NS					
26.14b	Substance Use and Abuse	Steroid use among adolescents - 10th graders	0.004	main		???		NS					
26.14c	Substance Use and Abuse	Steroid use among adolescents - 12th graders	0.004	main		???		NS					
26.15	Substance Use and Abuse	Inhalant use among adolescents (ages 12 to 17 years)	0.007	main		???		NS					
26.16a	Risk of Substance Use and Abuse	Peer disapproval of substance abuse - 8th graders	0.83	main		???		NS					
26.16b	Risk of Substance Use and Abuse	Peer disapproval of substance abuse - 10th grader	0.83	main		???		NS					
26.16c	Risk of Substance Use and Abuse	Peer disapproval of substance abuse - 12th grader	0.83	main		???		NS					
26.16d	Risk of Substance Use and Abuse	Peer disapproval of trying marijuana or hashish once or twice - 8th graders	0.72	main		???		NS					
26.16e	Risk of Substance Use and Abuse	Peer disapproval of trying marijuana or hashish once or twice - 10th graders	0.72	main		???		NS					

Focus Area **26 Title Substance Abuse**

Goal Reduce substance abuse to protect the health, safety, and quality of life for all, especially children.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
26.16f	Risk of Substance Use and Abuse	Peer disapproval of trying marijuana or hashish once or twice - 12th graders	0.72	main		???		NS					
26.17a	Risk of Substance Use and Abuse	Perception of risk associated with consuming 5+ alcoholic drinks at a single occasion once or twice a week - Adolescents (ages 12 to 17 years)	0.8	main		???		NS					
26.17b	Risk of Substance Use and Abuse	Perception of risk associated with smoking marijuana once per month - Adolescents (ages 12to 17 years)	0.8	main		???		NS					
26.17c	Risk of Substance Use and Abuse	Perception of risk associated with using cocaine once per month - Adolescents (ages 12 to 17 years)	0.8	main		???		NS					
26.18	Treatment for Substance Abuse	Treatment gap for illicit drugs in the general population	DNC	main		???		NS					
26.19	Treatment for Substance Abuse	Substance abuse treatment in correctional institutions	DNC	main		???		NS					
26.20	Treatment for Substance Abuse	Treatment admissions for injection drug use (thousands)	200	main		???		NS					
26.21	Treatment for Substance Abuse	Treatment gap for problem alcohol use	DNC	main		???		NS					
26.22	State and Local Efforts	Hospital emergency department referrals for alcohol/drug problems, suicide attempts	DNC	main		???		NS					
26.23	State and Local Efforts	Community partnerships and coalitions to prevent substance abuse (number)	DNC	main		???		NS					
26.24	State and Local Efforts	Administrative license revocation laws for persons who drive under the influence of intoxicants (number of States and D.C.)	51	main		???		NS					

Focus Area 26 Title Substance Abuse

Goal Reduce substance abuse to protect the health, safety, and quality of life for all, especially children.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
26.25	State and Local Efforts	Blood alcohol concentration (BAC) levels for motor vehicle drivers (number of States and D.C., ages 21 years and older)	51	main		???		NS					