

Weber/Morgan District Health District

Counties:

Morgan
Weber

Estimated July 1, 1998 Population

191,201



Demographic Information*	Weber/Mor.	Utah
Race ▶ % White ▶ % African American ▶ % American Indian ▶ % Asian/Pacific Islander	 95.7 1.8 0.7 1.8	 95.2 0.8 1.5 2.5
Ethnicity ▶ % Hispanic (includes all races)	 9.7	 6.5
Education ▶ % with less than high school (ages 18+) ▶ % with college degree (ages 18+)	 17.7 23.1	 15.6 26.5
Income ▶ % of households with income less than \$10,000/yr ▶ % of households with income \$50,000/yr or more	 12.6 19.9	 12.6 19.9

* see Appendix 2 for definitions and data sources

Weber/Morgan District Health District


1996 Risk Factor and Health Related Behavior Information*	Weber-Morgan	Utah
Smoking <ul style="list-style-type: none"> ➤ % Current Smokers (age 18 or over) ➤ % Households with at least one adult smoker 	 15.6 22.6	 12.4 19.4
Alcohol Use <ul style="list-style-type: none"> ➤ % Current Drinkers (age 18 or over) 	26.8	25.3
Chronic Disease Risk Factors <ul style="list-style-type: none"> ➤ Hypertension per 1,000 persons ➤ Diabetes per 1,000 persons ➤ % who exercise (age 6 or over) ➤ % at or above 120% ideal body weight (age 18 or over) ➤ % who have had cholesterol checked 	 185.5 33.4 44.5 23.6 76.1	 189.6 29.1 44.9 24.4 71.9
Asthma <ul style="list-style-type: none"> ➤ Reported asthma per 1,000 persons ➤ Reported asthma per 1,000 children aged 0-17 	 52.9 63.1	 41.2 42.9
Guns <ul style="list-style-type: none"> ➤ % Households with guns ➤ % Households with unlocked and loaded guns 	 45.4 2.7	 43.9 2.9
Health Care Access <ul style="list-style-type: none"> ➤ % with no health insurance ➤ % with outpatient visit in past 12 months ➤ % with no primary medical provider or usual place for medical care ➤ % women over age 40 who have ever had mammography 	 8.6 90.4 15.6 83.6	 9.5 81.6 17.8 84.3
Injury <ul style="list-style-type: none"> ➤ % of people injured within last 12 months ➤ % of households in which ≥1 member was a victim of interpersonal violence (not just domestic violence) 	 11.2 10.8	 10.5 9.1

* see Appendix 2 for definitions and data sources

Weber/Morgan District Health District


INFANT MORTALITY as measured by the rate (per 1,000 live births) of deaths among infants under one year of age

Weber/Morgan Rank 6/12
Average deaths/year 21




TOTAL DEATHS per 100,000 population*

Weber/Morgan Rank 7/12
Average deaths/year 1,188




MOTOR VEHICLE CRASH DEATHS per 100,000 population*

Weber/Morgan Rank 2/12
Average deaths/year 26



WORK-RELATED INJURY DEATHS per 100,000 population*

Weber/Morgan Rank 4/12
Average deaths/year 4




* Mortality rates age-adjusted to U.S. 1940 population

Weber/Morgan District Health District


SUICIDES per 100,000 population*

Weber/Morgan Rank 8/12
Average deaths/year 29




HOMICIDES per 100,000 population*

Weber/Morgan Rank 6/12
Average deaths/year 6




LUNG CANCER DEATHS per 100,000 population*

Weber/Morgan Rank 6/12
Average deaths/year 40



FEMALE BREAST CANCER DEATHS per 100,000 women*

Weber/Morgan Rank 6/12
Average deaths/year 22




* Mortality rates age-adjusted to U.S. 1940 population

Weber/Morgan District Health District


CARDIOVASCULAR DISEASE DEATHS per 100,000 population*

Weber/Morgan Rank 8/12
Average deaths/year 460




HEART DISEASE DEATHS per 100,000 population*

Weber/Morgan Rank 7/12
Average deaths/year 337



STROKE DEATHS per 100,000 population*

Weber/Morgan Rank 9/12
Average deaths/year 94




* Mortality rates age-adjusted to U.S. 1940 population

Weber/Morgan District Health District


Reported incidence (per 100,000 population) of **ACQUIRED IMMUNODEFICIENCY SYNDROME** (1994-1996)

Weber/Morgan Rank 10/11
Average cases/year 13




Reported incidence (per 100,000 population) of **MEASLES** (1994-1996)

Weber/Morgan Rank 9/12
Average cases/year 1




Reported incidence (per 100,000 population) of **TUBERCULOSIS** (1994-1996)

Weber/Morgan Rank 9/12
Average cases/year 3




Prevalence of LOW BIRTH WEIGHT as measured by the percentage of live born infants weighing under 2,500 grams at birth

Weber/Morgan Rank 8/12
Average number of LBW births/year 257




BIRTHS TO 15-17 YEAR OLD GIRLS per 1,000 girls aged 15-17 (1994-1996)

Weber/Morgan Rank 8/12
 Average births/year to 15-17 yr old girls 195




INADEQUATE PRENATAL CARE as measured by the percent of mothers delivering live infants who did not receive care in the first trimester (1994-1996)

Weber/Morgan Rank 6/12
 Average births/year with inadequate prenatal care 594



CHILDHOOD POVERTY as measured by the proportion of children under age 18 living in families at or below the poverty level (1993 data applied to 1998 population)

Weber/Morgan Rank 8/12
 Number of children living in poverty 9,536



AIR QUALITY as measured by the proportion of persons living in counties exceeding U.S. Environmental Protection Agency standards for air quality during 1996

Weber/Morgan: No standards exceeded in 1996
 Utah: 0% live in counties where at least one standard exceeded