


Utah's Vital Statistics  
**Abortions**  
**2005**

Utah Department of Health  
Center for Health Data






Utah's Vital Statistics

# Abortions

2005



February 16, 2007  
Technical Report No. 248

### **Mission Statement**

The Office of Vital Records and Statistics administers the statewide system of Vital Records and Statistics by documenting and certifying the facts of births, deaths, and family formation for the legal purposes of the citizens of Utah, participates in the National Vital Statistics System, and responds to the needs of health programs, health care providers, businesses, researchers, educational institutions and the Utah public for data and statistical information.

This publication was produced by:  
**The Statistical Products Section**  
in the  
**Office of Vital Records and Statistics**

**Jeffrey D. Duncan, M.S.**

**Director**

Staff Contributors:

Marie Aschlimann  
Mylitta Barrett  
Cynthia Robison

Utah Department of Health  
Center for Health Data

**OFFICE OF VITAL RECORDS AND STATISTICS  
PO BOX 141012  
SALT LAKE CITY UT 84114-1012**

Located in the Cannon Health Building at 288 N 1460 W

Website: [health.utah.gov/vitalrecords](http://health.utah.gov/vitalrecords)  
Email: [vrequest@utah.gov](mailto:vrequest@utah.gov)  
Phone: (801) 538-6843  
Fax: (801) 538-7012

This information can be made available  
in alternative formats upon request.



## **PREFACE**

This 2005 report is the twenty-eighth in a series on legally induced abortions in Utah. Previous reports were for the years 1974-1975, 1975-1977, 1978-1980, and each year from 1981-2001, and years 2002-2003 were combined in one report.

These tabulations are published annually to make commonly used vital records data available to health programs, health care providers, businesses, researchers, educational institutions and the Utah public. Data are presented for the state, the local health districts, and the counties.

The most recent series of Utah's Vital Statistics reports no longer include abortion data for the United States. The most recent abortion data for the United States is published by the Centers for Disease Control in the Morbidity and Mortality Weekly Report, "Abortion Surveillance - United States, 2003," Vol. 55, No. SS-11, Atlanta, Georgia, November 24, 2006. The website for the Centers for Disease Control is <http://www.cdc.gov>. Use the keyword "abortion 2003" to search for the Abortion Surveillance report (<http://www.cdc.gov/mmwr/PDF/ss/ss5511.pdf>).



# TABLE OF CONTENTS

Page

ix	List of Summary Tables
xi	List of Reference Tables
xiii	List of Appendices
S-1	Summary Tables
R-1	Reference Tables
T-1	Technical Appendix



## List of Summary Tables

### Page

- S-3 Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980-2005
- S-3 Table 2. Abortions occurring in Utah by state of residence: 2005
- S-4 Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990 and 1995-2005
- S-5 Table 4. Abortions, live births and ratios by marital status, residents: Utah, 1980-2005
- S-6 Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990-2005
- S-6 Table 6. Age-specific abortion rates, residents: Utah, 1990-2005

### Figure

- S-7 Figure 1. Abortions per 1,000 live births, residents: Utah, 1980-2005



## List of Reference Tables

### Page

- R-3 Table R1. Abortions by health district, county of residence and age of woman: Utah, 2005
- R-4 Table R2. Abortions by health district, county of residence and month of occurrence: Utah, 2005
- R-5 Table R3. Abortions by age and marital status of woman, residents: Utah, 2005
- R-5 Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2005
- R-5 Table R5. Abortions by age and education of woman, residents: Utah, 2005
- R-6 Table R6. Abortions by age and race of woman, residents: Utah, 2005
- R-6 Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2005
- R-7 Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2005
- R-7 Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2005
- R-7 Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2005

(List of Reference Tables continued)

- R-8 Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2005
- R-8 Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2005
- R-9 Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2005
- R-10 Table R14. Abortions by age of woman and method of termination, residents: Utah, 2005
- R-10 Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2005
- R-11 Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2005
- R-11 Table R17. Abortions by age of woman and omission to use contraceptive, residents: Utah, 2005
- R-11 Table R18. Abortions by age of woman, pregnancy due to omission of contraceptive, residents: Utah, 2005
- R-12 Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2005
- R-12 Table 20. Abortions by marital status of woman and method of contraceptive, residents: Utah, 2005

(List of Reference Tables continued)

- R-13      Table R21. Abortions by number of prior abortions and prior live births and method of contraceptive, residents: Utah, 2005
- R-13      Table R22. Abortions by education of woman and method of contraceptive, residents: Utah, 2005

Technical Appendix

- T-4      Figure 1. State of Utah -- Department of Health report of induced termination of pregnancy



*2005 Summary Tables:*

**Abortions**



**Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980-2005**

Year	Estimated population females ages 15-44 <sup>1</sup>	Resident live births	Abortions			
			Occurrence number	Residents number	Rate <sup>2</sup>	Ratio <sup>3</sup>
1980	339,799	41,786	4,086	3,821	11.2	91.4
1981	351,700	41,286	3,842	3,576	10.2	86.6
1982	361,040	41,537	3,987	3,806	10.5	91.6
1983	368,973	39,441	3,775	3,587	9.7	90.9
1984	374,597	38,286	4,022	3,877	10.3	101.3
1985	378,827	37,441	4,129	3,928	10.4	104.9
1986	382,834	36,383	4,450	4,157	10.9	114.3
1987	385,698	35,285	4,732	4,191	10.9	118.8
1988	387,881	36,040	4,732	4,149	10.7	115.1
1989	390,989	35,558	4,950	4,305	11.0	121.1
1990	394,297	36,253	4,796	4,159	10.5	114.7
1991	410,106	36,019	4,213	3,759	9.2	104.4
1992	423,145	37,198	3,941	3,525	8.3	94.8
1993	436,287	37,048	3,945	3,615	8.3	97.6
1994	451,177	38,271	3,610	3,304	7.3	86.3
1995	463,847	39,554	3,705	3,292	7.1	83.2
1996	475,709	42,056	3,639	3,293	6.9	78.3
1997	486,592	43,009	3,408	3,140	6.5	73.0
1998	492,370	45,128	3,487	3,237	6.6	71.7
1999	498,067	46,243	3,381	3,160	6.3	68.3
2000	528,738	47,331	3,509	3,279	6.2	69.3
2001	539,202	47,915	3,594	3,372	6.3	70.4
2002	546,951	49,140	3,524	3,300	6.0	67.2
2003	554,908	49,834	3,576	3,338	6.0	67.0
2004	563,115	50,653	3,665	3,379	6.0	66.7
2005	572,213	51,517	3,556	3,279	5.7	63.6

<sup>1</sup>Population projections/estimates are revised as historical data becomes available and the rates may not agree with previous reports.

<sup>2</sup>Rates are per 1,000 females 15 to 44 years of age.

<sup>3</sup>Ratios are per 1,000 live births.

Source for Utah female population 15-44 years of age for years 2000-2005: Demographic and Economic Analysis section, Governor's Office of Planning and Budget; 2005 Detailed Tables: "Population Projections by five-year age group, area and gender: State of Utah 2000-2050; website: "<http://www.governor.utah.gov/dea/Projections/05Baseline/5yearagegroupbyareagender.xls>."

Population source for data years 1980 and 1990: Demographic and Economic Analysis section, Governor's Office of Planning and Budget; Detailed Table: State of Utah female population by single year of age, 1980-2030; 2002 baseline demographic and economic projections.

Source for Utah female population 15-44 years of age for years prior to 2000 and not including 1980 and 1990 are prior projections by the Demographic and Economic Analysis section of the Governor's Office of Planning and Budget.

**Table 2. Abortions occurring in Utah by state of residence: 2005**

State of Residence	Frequency	Percent
Total	3,556	100.0
Arizona	3	0.1
California	8	0.2
Colorado	3	0.1
Idaho	111	3.1
Kansas	1	0.0
Maryland	1	0.0
Mississippi	1	0.0
Missouri	1	0.0
Montana	3	0.1
Nebraska	1	0.0
Nevada	21	0.6
Pennsylvania	1	0.0
Utah	3,279	92.2
Washington	2	0.1
Wyoming	120	3.4

**Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990 and 1995-2005**

District and county of residence	2005			Abortion ratios by year										
	Live births	Abor-tions	2005	1990	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total	51,517	3,279	63.6	114.7	83.2	78.3	73.0	71.7	68.3	69.3	70.4	67.2	67.0	66.7
Bear River	3,302	92	27.9	60.9	37.3	33.1	36.7	38.9	35.5	32.6	29.6	32.0	32.3	24.3
Box Elder	876	22	25.1	29.4	21.5	28.6	26.4	44.3	33.2	27.1	34.0	39.8	29.4	23.2
Cache	2,393	70	29.3	74.7	43.3	35.1	40.9	37.3	36.7	35.0	28.3	29.6	33.4	25.0
Rich	33	0	--	--	--	--	--	--	--	--	--	--	--	--
Central Utah	1,174	32	27.3	36.7	29.5	24.8	14.7	20.4	18.1	23.2	21.2	26.1	23.1	17.5
Juab	174	4	--	--	--	--	--	--	--	--	--	--	--	--
Millard	169	4	--	30.4	51.0	--	--	--	--	38.3	40.8	--	--	--
Piute	17	0	--	--	--	--	--	--	--	--	--	--	--	--
Sanpete	430	10	23.3	26.9	21.9	21.2	--	19.0	27.3	19.1	--	37.9	35.5	--
Sevier	359	13	36.2	44.0	33.7	31.7	--	--	18.0	24.0	--	--	--	--
Wayne	25	1	--	--	--	--	--	--	--	--	--	--	--	--
Davis	5,666	258	45.5	85.5	62.9	62.1	56.7	56.6	50.8	58.1	52.4	47.5	57.1	51.5
Salt Lake	18,680	2,104	112.6	181.0	139.9	129.0	125.1	122.6	115.3	117.2	126.4	116.5	117.5	119.1
Southeastern	823	26	31.6	87.6	44.4	36.4	35.6	42.1	22.2	25.7	14.7	32.3	41.9	35.6
Carbon	292	24	82.2	128.0	77.7	75.9	64.6	87.0	55.6	46.5	30.5	63.3	82.8	56.1
Emery	179	1	--	--	--	--	--	--	--	--	--	--	--	--
Grand	120	1	--	183.5	70.7	--	--	--	--	--	--	--	--	--
San Juan	232	0	--	57.6	--	--	--	--	--	--	--	--	--	--
Southwest	3,644	13	3.6	12.7	5.1	6.8	2.7	2.5	--	3.9	--	--	--	3.8
Beaver	109	0	--	--	--	--	--	--	--	--	--	--	--	--
Garfield	70	2	--	--	--	--	--	--	--	--	--	--	--	--
Iron	920	3	--	--	--	12.9	--	--	--	--	--	--	--	--
Kane	91	0	--	--	--	--	--	--	--	--	--	--	--	--
Washington	2,454	8	3.3	--	--	--	--	--	--	--	--	--	--	--
Summit	523	87	166.3	349.4	282.7	211.2	231.3	237.2	201.8	190.3	165.4	173.1	150.0	163.0
Tooele	1,057	90	85.1	94.9	94.6	83.6	59.6	67.6	60.8	49.2	58.2	73.1	66.4	63.5
TriCounty	858	29	33.8	72.5	29.1	31.8	22.6	22.5	27.2	33.2	22.8	30.0	27.1	34.1
Daggett	5	1	--	--	--	--	--	--	--	--	--	--	--	--
Duchesne	299	8	26.8	35.3	--	27.7	--	35.6	33.8	24.8	29.2	34.5	--	29.2
Uintah	554	20	36.1	92.4	38.8	32.3	21.8	--	23.6	39.6	19.8	25.7	36.7	35.5
Utah County	11,314	254	22.5	32.4	23.6	30.1	21.4	22.0	24.8	23.7	20.3	22.7	22.6	22.5
Wasatch	365	19	52.1	105.0	41.5	34.6	45.6	55.8	44.1	71.0	66.2	68.7	35.9	70.1
Weber-Morgan	4,111	275	66.9	129.6	86.2	78.9	79.1	70.3	81.3	68.4	72.0	69.8	68.0	72.0
Morgan	130	4	--	--	96.8	--	--	--	--	--	--	--	--	--
Weber	3,981	271	68.1	132.5	85.9	79.9	80.1	71.1	83.2	69.3	73.2	70.9	69.1	73.3

Ratios are per 1,000 live births and are not computed for fewer than seven events or when the number of births is less than 30. Births for data year 1995 were updated.

**Table 4a. Abortions, live births and ratios by marital status, residents: Utah, 1980-2005**

Marital status	Year											
	1980	1985	1986	1987	1988	1989	1990	1991	1992	1993 <sup>1</sup>	1994	
<b>Total*</b>												
Induced abortions	3,821	3,928	4,157	4,191	4,149	4,305	4,159	3,759	3,525	3,615	3,304	
Live births	41,786	37,441	36,383	35,285	36,040	35,558	36,253	36,019	37,198	37,048	38,271	
Ratio per 1,000 live births	91.4	104.9	114.3	118.8	115.1	121.1	114.7	104.4	94.8	97.6	86.3	
<b>Married**</b>												
Induced abortions	975	846	865	816	740	844	774	853	914	920	862	
Live births	39,181	34,366	33,092	31,372	31,822	31,056	31,343	30,823	31,567	31,325	32,269	
Ratio per 1,000 live births	24.9	24.6	26.1	26.0	23.3	27.2	24.7	27.7	29.0	29.4	26.7	
<b>Unmarried***</b>												
Induced abortions	2,820	3,075	3,291	3,303	3,317	3,443	3,351	2,893	2,598	2,683	2,423	
Live births	2,605	3,259	3,567	3,913	4,218	4,502	4,886	5,196	5,631	5,721	6,001	
Ratio per 1,000 live births	1,082.5	943.5	922.6	844.1	786.4	764.8	685.8	556.8	461.4	469.0	403.8	

**Table 4b. Abortions, live births and ratios by marital status, residents: Utah, 1980-2005**

Marital status	Year											
	1995 <sup>1</sup>	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	
<b>Total*</b>												
Induced abortions	3,292	3,293	3,140	3,237	3,160	3,279	3,372	3,300	3,338	3,379	3,279	
Live births	39,554	42,056	43,009	45,128	46,243	47,331	47,915	49,140	49,834	50,653	51,517	
Ratio per 1,000 live births	83.2	78.3	73.0	71.7	68.3	69.3	70.4	67.2	67.0	66.7	63.6	
<b>Married**</b>												
Induced abortions	786	754	794	860	858	809	844	756	771	795	760	
Live births	33,338	35,231	35,864	37,388	38,543	39,135	39,593	40,671	41,254	41,822	42,416	
Ratio per 1,000 live births	23.6	21.4	22.1	23.0	22.3	20.7	21.3	18.6	18.7	19.0	17.9	
<b>Unmarried***</b>												
Induced abortions	2,494	2,515	2,329	2,357	2,284	2,455	2,348	2,268	2,143	2,270	2,230	
Live births	6,215	6,798	7,121	7,722	7,699	8,175	8,322	8,469	8,580	8,831	9,101	
Ratio per 1,000 live births	401.3	370.0	327.1	305.2	296.7	300.3	282.1	267.8	249.8	257.0	245.0	

<sup>1</sup>Abortions ratios for data years 1993 and 1995 may change slightly because birth data for these years are updated. These updates can be viewed at the web site for the Office of Vital Records and Statistics (<http://www.health.state.ut.us/bvr/html/tables.html>).

\*Women with marital status unknown are included in the annual totals but are not distributed.

\*\*The sum of women who are married plus women who are separated.

\*\*\*The sum of women who are widowed, divorced and those who have never married.

**Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990-2005**

Year	Total all ages	Five year age groups (15 to 44 years of age)					
		15-19	20-24	25-29	30-34	35-39	40-44
1990	394,297	76,503	69,220	67,851	68,922	61,502	50,299
1991	410,106	77,937	75,023	66,780	71,169	64,499	54,698
1992	423,145	82,450	78,372	66,298	72,135	67,539	56,351
1993	436,287	86,805	81,918	65,958	73,100	69,704	58,802
1994	451,177	91,398	84,491	67,930	73,644	71,809	61,905
1995	463,847	95,756	85,758	71,260	72,906	73,475	64,692
1996	475,709	99,538	86,578	75,991	71,062	75,233	67,307
1997	486,592	100,155	91,304	78,550	70,283	76,025	70,275
1998	492,370	100,343	94,787	80,276	68,774	76,315	71,875
1999	498,067	99,667	98,698	81,031	69,397	75,965	73,309
2000	528,738	106,983	114,336	86,793	72,647	73,860	74,119
2001	539,202	102,184	120,058	91,780	76,574	73,008	75,598
2002	546,951	98,664	121,681	98,005	79,989	72,265	76,347
2003	554,908	97,241	120,138	105,139	83,479	72,069	76,842
2004	563,115	96,883	116,521	112,616	87,010	73,098	76,987
2005	572,213	97,390	111,648	119,711	91,226	75,900	76,338

Source for Utah female population 15-44 years of age for years 2000-2005: Demographic and Economic Analysis section, Governor's Office of Planning and Budget; 2005 Detailed Tables: "Population Projections by five-year age group, area and gender: State of Utah 2000-2050; website: "http://www.governor.utah.gov/dea/Projections/05Baseline/5yearaagroubbvareagender.xls." Population source for 1990 through 1999 are from earlier baseline projections.


**Table 6. Age-specific abortion rates, residents: Utah, 1990-2005**

Year	Total all ages <sup>1</sup>	Age of woman <sup>1</sup>					
		15-19	20-24	25-29	30-34	35-39	40-44
1990	10.5	12.7	19.8	13.2	7.8	4.1	1.5
1991	9.2	10.7	16.8	11.6	7.1	4.0	1.3
1992	8.3	8.6	15.3	11.5	6.5	4.0	1.1
1993	8.3	8.3	14.9	12.0	6.5	3.9	1.2
1994	7.3	7.1	12.6	10.6	6.5	3.8	1.3
1995	7.1	6.3	12.3	11.0	6.6	3.7	1.2
1996	6.9	6.6	12.3	9.7	6.9	3.2	1.3
1997	6.5	5.7	9.4	8.2	6.0	3.5	1.2
1998	6.6	5.8	10.7	9.1	7.1	3.4	1.2
1999	6.3	5.8	10.6	8.9	6.2	3.4	1.4
2000	6.2	5.4	10.2	8.3	6.0	3.4	1.1
2001	6.3	5.3	9.6	8.0	6.4	3.8	1.2
2002	6.0	5.1	9.4	7.9	5.7	3.8	1.2
2003	6.0	5.4	9.3	7.3	5.9	3.9	1.2
2004	6.0	5.2	10.2	6.7	5.7	3.9	1.3
2005	5.7	5.3	9.3	6.6	5.1	4.2	1.2

<sup>1</sup>Rates are per 1,000 females 15 to 44 years of age. The abortion component of the rate totals include women less than 15 years of age, 45 years and older and age unknown.

Population source for 1990 through 1999 are from earlier baseline projections. Source for Utah female population 15-44 years of age for 1980, 1990 and 2000-2003: Demographic and Economic Analysis section, Governor's Office of Planning and Budget; Population Projections Detailed Tables: "State of Utah Population by Sex and Single Year of Age: 1980, 1990, and 2000-2030"; Website, "http://governor.utah.gov/dea/LongTermProjections.html."

Figure 1





*2005 Reference Tables:*

**Abortions**



Table R1. Abortions by health district, county of residence and age of woman: Utah, 2005

District and County	Total	Under 15	Age of Woman									Un-known
			15 to 19			20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 and over	
			Total	15 to 17	18 to 19							
Total	3,279	12	512	163	349	1,041	788	462	315	88	3	58
Bear River	92	0	18	11	7	35	16	11	9	2	0	1
Box Elder	22	0	5	4	1	7	4	3	1	2	0	0
Cache	70	0	13	7	6	28	12	8	8	0	0	1
Rich	0	0	0	0	0	0	0	0	0	0	0	0
Central Utah	32	0	4	1	3	6	12	8	2	0	0	0
Juab	4	0	1	0	1	0	1	1	1	0	0	0
Millard	4	0	0	0	0	0	3	1	0	0	0	0
Piute	0	0	0	0	0	0	0	0	0	0	0	0
Sanpete	10	0	3	1	2	1	2	3	1	0	0	0
Sevier	13	0	0	0	0	5	5	3	0	0	0	0
Wayne	1	0	0	0	0	0	1	0	0	0	0	0
Davis	258	0	54	12	42	82	50	28	32	9	0	3
Salt Lake	2,104	10	297	92	205	670	509	301	206	59	2	50
Southeastern	26	0	6	1	5	11	3	4	2	0	0	0
Carbon	24	0	6	1	5	11	2	4	1	0	0	0
Emery	1	0	0	0	0	0	0	0	1	0	0	0
Grand	1	0	0	0	0	0	1	0	0	0	0	0
San Juan	0	0	0	0	0	0	0	0	0	0	0	0
Southwest	13	0	3	1	2	7	1	1	1	0	0	0
Beaver	0	0	0	0	0	0	0	0	0	0	0	0
Garfield	2	0	0	0	0	1	0	0	1	0	0	0
Iron	3	0	0	0	0	2	1	0	0	0	0	0
Kane	0	0	0	0	0	0	0	0	0	0	0	0
Washington	8	0	3	1	2	4	0	1	0	0	0	0
Summit	87	0	9	3	6	22	24	17	9	5	1	0
Tooele	90	0	12	6	6	20	29	15	12	1	0	1
TriCounty	29	0	10	8	2	8	3	5	3	0	0	0
Daggett	1	0	0	0	0	0	1	0	0	0	0	0
Duchesne	8	0	4	3	1	2	1	1	0	0	0	0
Uintah	20	0	6	5	1	6	1	4	3	0	0	0
Utah County	254	1	43	6	37	81	68	38	17	4	0	2
Wasatch	19	0	1	0	1	3	7	4	4	0	0	0
Weber-Morgan	275	1	55	22	33	96	66	30	18	8	0	1
Morgan	4	0	0	0	0	1	1	0	2	0	0	0
Weber	271	1	55	22	33	95	65	30	16	8	0	1

Numbers are not shown when the age-group's population is less than 30.

Table R2. Abortions by health district, county of residence and month of occurrence: Utah, 2005

District and County	Total	Month of Occurrence											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total	3,279	310	297	279	296	256	241	238	281	265	277	257	282
Bear River	92	9	8	9	7	8	9	3	7	6	11	6	9
Box Elder	22	3	4	2	3	0	1	0	0	2	2	0	5
Cache	70	6	4	7	4	8	8	3	7	4	9	6	4
Rich	0	0	0	0	0	0	0	0	0	0	0	0	0
Central Utah	32	3	0	3	3	3	3	3	1	2	4	2	5
Juab	4	0	0	0	2	1	0	0	0	0	0	0	1
Millard	4	1	0	2	0	0	0	0	0	0	1	0	0
Piute	0	0	0	0	0	0	0	0	0	0	0	0	0
Sanpete	10	1	0	0	0	0	1	2	1	0	2	0	3
Sevier	13	1	0	1	1	2	2	1	0	2	0	2	1
Wayne	1	0	0	0	0	0	0	0	0	0	1	0	0
Davis	258	21	24	19	23	18	18	19	21	25	19	17	34
Salt Lake	2,104	196	183	188	201	169	151	150	185	169	172	175	165
Southeastern	26	2	1	2	2	2	2	4	1	1	4	0	5
Carbon	24	2	1	2	1	2	2	3	1	1	4	0	5
Emery	1	0	0	0	1	0	0	0	0	0	0	0	0
Grand	1	0	0	0	0	0	0	1	0	0	0	0	0
San Juan	0	0	0	0	0	0	0	0	0	0	0	0	0
Southwest	13	3	1	2	0	2	1	1	0	0	2	0	1
Beaver	0	0	0	0	0	0	0	0	0	0	0	0	0
Garfield	2	0	0	0	0	1	0	0	0	0	0	0	1
Iron	3	2	0	1	0	0	0	0	0	0	0	0	0
Kane	0	0	0	0	0	0	0	0	0	0	0	0	0
Washington	8	1	1	1	0	1	1	1	0	0	2	0	0
Summit	87	7	5	8	2	7	6	7	16	7	10	5	7
Tooele	90	9	9	6	8	6	7	7	6	8	10	6	8
TriCounty	29	1	3	1	3	2	3	2	2	1	4	3	4
Daggett	1	0	1	0	0	0	0	0	0	0	0	0	0
Duchesne	8	0	0	0	1	0	0	1	1	0	1	2	2
Uintah	20	1	2	1	2	2	3	1	1	1	3	1	2
Utah County	254	28	26	19	18	21	19	20	17	21	20	24	21
Wasatch	19	1	3	3	2	0	1	1	2	2	2	2	0
Weber-Morgan	275	30	34	19	27	18	21	21	23	23	19	17	23
Morgan	4	0	1	0	2	1	0	0	0	0	0	0	0
Weber	271	30	33	19	25	17	21	21	23	23	19	17	23

Table R3. Abortions by age and marital status of woman, residents: Utah, 2005

Age	Marital Status of Woman						Un- known
	Total	Never Married	Married	Widowed	Divorced	Separated	
Total	3,279	1,836	596	12	382	164	289
Under 15	12	11	0	0	0	0	1
Total 15 to 19	512	463	14	0	1	4	30
15-17	163	153	3	0	0	0	7
18-19	349	310	11	0	1	4	23
20-24	1,041	739	123	0	57	42	80
25-29	788	395	160	2	103	53	75
30-34	462	128	139	3	105	43	44
35-39	315	66	123	6	78	17	25
40-44	88	14	31	1	31	4	7
45 and over	3	0	2	0	1	0	0
Unknown	58	20	4	0	6	1	27

Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2005

Weeks gestation <sup>1</sup>	Marital Status of Woman						Un- known
	Total	Never Married	Married	Widowed	Divorced	Separated	
Total	3,279	1,836	596	12	382	164	289
Under 5	72	33	16	0	10	5	8
5-6	770	409	158	6	99	35	63
7-8	1,312	741	237	6	164	73	91
9-10	492	299	79	0	50	20	44
11-12	241	151	35	0	19	18	18
13-14	192	112	24	0	27	8	21
15-20	182	84	42	0	11	5	40
21 and over	6	1	4	0	0	0	1
Unknown	12	6	1	0	2	0	3

<sup>1</sup>The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R5. Abortions by age and education of woman, residents: Utah, 2005

Age	Education of Woman				
	Total	Under 12 Years	High School	Over 12 Years	Unknown
Total	3,279	479	1,192	1,168	440
Under 15	12	11	0	0	1
Total 15 to 19	512	189	207	60	56
15-17	163	130	12	5	16
18-19	349	59	195	55	40
20-24	1,041	127	432	366	116
25-29	788	80	272	325	111
30-34	462	39	146	200	77
35-39	315	23	103	151	38
40-44	88	6	23	47	12
45 and over	3	0	1	2	0
Unknown	58	4	8	17	29

Table R6. Abortions by age and race of woman, residents: Utah, 2005

Age	Race of Woman						
	Total	White	Black	Asian and Pacific Islander	Native American	Other	Un-known
Total	3,279	2,237	69	178	19	196	580
Under 15	12	5	0	0	0	4	3
Total 15 to 19	512	376	11	17	0	19	89
15-17	163	119	3	8	0	5	28
18-19	349	257	8	9	0	14	61
20-24	1,041	732	18	53	8	53	177
25-29	788	520	24	36	7	49	152
30-34	462	310	11	25	2	39	75
35-39	315	196	5	39	2	21	52
40-44	88	63	0	6	0	7	12
45 and over	3	2	0	1	0	0	0
Unknown	58	33	0	1	0	4	20

Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2005

Weeks gestation <sup>1</sup>	Race of Woman						
	Total	White	Black	Asian and Pacific Islander	Native American	Other	Un-known
Total	3,279	2,237	69	178	19	196	580
Under 5	72	48	0	4	1	5	14
5-6	770	548	13	43	5	40	121
7-8	1,312	899	29	83	4	80	217
9-10	492	332	6	22	1	37	94
11-12	241	155	8	15	5	13	45
13-14	192	128	7	5	1	8	43
15-20	182	117	6	6	2	12	39
21 and over	6	2	0	0	0	0	4
Unknown	12	8	0	0	0	1	3

<sup>1</sup>The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

**Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2005**

Age	Prior Live Births							
	Total	None	One	Two	Three	Four	Five or More	Un-known
Total	3,279	1,325	710	650	298	130	56	110
Under 15	12	12	0	0	0	0	0	0
Total 15 to 19	512	417	72	13	3	1	0	6
15-17	163	145	14	1	1	1	0	1
18-19	349	272	58	12	2	0	0	5
20-24	1,041	517	279	163	38	9	0	35
25-29	788	233	189	205	92	37	9	23
30-34	462	78	82	136	93	34	20	19
35-39	315	34	56	98	50	38	21	18
40-44	88	8	15	24	20	9	5	7
45 and over	3	1	1	1	0	0	0	0
Unknown	58	25	16	10	2	2	1	2

**Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2005**

Age	Prior Abortions							
	Total	None	One	Two	Three	Four	Five or More	Un-known
Total	3,279	2,104	756	239	61	22	13	84
Under 15	12	12	0	0	0	0	0	0
Total 15 to 19	512	453	50	5	0	0	0	4
15-17	163	157	6	0	0	0	0	0
18-19	349	296	44	5	0	0	0	4
20-24	1,041	706	229	64	11	0	0	31
25-29	788	438	230	72	14	11	3	20
30-34	462	252	124	44	21	5	1	15
35-39	315	159	90	37	11	3	5	10
40-44	88	41	22	13	4	3	3	2
45 and over	3	2	1	0	0	0	0	0
Unknown	58	41	10	4	0	0	1	2

**Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2005**

Weeks gestation <sup>1</sup>	Prior Abortions							
	Total	None	One	Two	Three	Four	Five or More	Un-known
Total	3,279	2,104	756	239	61	22	13	84
Under 5	72	35	25	5	2	1	2	2
5-6	770	493	166	66	17	6	4	18
7-8	1,312	841	308	95	20	9	5	34
9-10	492	323	106	34	12	5	1	11
11-12	241	163	53	15	5	1	0	4
13-14	192	118	52	15	2	0	0	5
15-20	182	118	42	9	3	0	1	9
21 and over	6	5	0	0	0	0	0	1
Unknown	12	8	4	0	0	0	0	0

<sup>1</sup>The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2005

Age	Reason for Termination									
	Total	Maternal Life Endagered	Thera- peutic	Fetal Malform- ation	HIV Positive	Rape	Incest	Elective	Other	Un- known
Total	3,279	22	3,220	13	1	2	0	19	1	1
Under 15	12	0	12	0	0	0	0	0	0	0
Total 15 to 19	512	2	501	2	0	1	0	6	0	0
15-17	163	1	158	1	0	1	0	2	0	0
18-19	349	1	343	1	0	0	0	4	0	0
20-24	1,041	5	1,029	1	0	0	0	5	1	0
25-29	788	5	778	1	1	0	0	2	0	1
30-34	462	6	450	4	0	0	0	2	0	0
35-39	315	2	307	1	0	1	0	4	0	0
40-44	88	2	84	2	0	0	0	0	0	0
45 and over	3	0	3	0	0	0	0	0	0	0
Unknown	58	0	56	2	0	0	0	0	0	0

Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2005

Weeks gestation <sup>1</sup>	Reason for Termination									
	Total	Maternal Life Endagered	Thera- peutic	Fetal Malform- ation	HIV Positive	Rape	Incest	Elective	Other	Un- known
Total	3,279	22	3,220	13	1	2	0	19	1	1
Under 5	72	0	70	0	0	1	0	0	0	1
5-6	770	4	760	0	0	0	0	6	0	0
7-8	1,312	10	1,291	2	0	0	0	8	1	0
9-10	492	1	490	0	0	0	0	1	0	0
11-12	241	1	237	2	0	0	0	1	0	0
13-14	192	2	186	1	0	0	0	3	0	0
15-20	182	2	173	5	1	1	0	0	0	0
21 and over	6	2	1	3	0	0	0	0	0	0
Unknown	12	0	12	0	0	0	0	0	0	0

<sup>1</sup>The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2005

Age	Weeks Gestation <sup>1</sup>									
	Total	Under 5	5-6	7-8	9-10	11-12	13-14	15-20	21 and over	Un-known
Total	3,279	72	770	1,312	492	241	192	182	6	12
Under 15	12	0	2	1	4	3	0	2	0	0
Total 15 to 19	512	3	84	187	84	64	39	47	1	3
15-17	163	1	31	48	26	27	11	19	0	0
18-19	349	2	53	139	58	37	28	28	1	3
20-24	1,041	21	229	432	165	73	74	42	0	5
25-29	788	21	204	320	108	62	31	39	1	2
30-34	462	6	117	198	70	17	25	27	2	0
35-39	315	14	89	128	36	12	15	18	1	2
40-44	88	3	28	30	12	7	5	2	1	0
45 and over	3	0	1	2	0	0	0	0	0	0
Unknown	58	4	16	14	13	3	3	5	0	0

<sup>1</sup>The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R14. Abortions by age of woman and method of termination, residents: Utah, 2005

Age	Method of Termination								
	Total	Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica- tion	Intra- Uterine Instillation	Hyster- ectomy	Other	Un- known
Total	3,279	119	2,188	97	875	0	0	0	0
Under 15	12	1	9	1	1	0	0	0	0
Total 15 to 19	512	27	345	23	117	0	0	0	0
15-17	163	12	111	10	30	0	0	0	0
18-19	349	15	234	13	87	0	0	0	0
20-24	1,041	32	691	27	291	0	0	0	0
25-29	788	23	539	20	206	0	0	0	0
30-34	462	15	313	14	120	0	0	0	0
35-39	315	17	191	8	99	0	0	0	0
40-44	88	2	59	2	25	0	0	0	0
45 and over	3	0	1	0	2	0	0	0	0
Unknown	58	2	40	2	14	0	0	0	0

Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2005

Weeks gestation <sup>1</sup>	Method of Termination								
	Total	Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica- tion	Intra- Uterine Instillation	Hyster- ectomy	Other	Un- known
Total	3,279	119	2,188	97	875	0	0	0	0
Under 5	72	0	32	0	40	0	0	0	0
5-6	770	2	380	4	384	0	0	0	0
7-8	1,312	0	907	8	397	0	0	0	0
9-10	492	4	451	1	36	0	0	0	0
11-12	241	3	230	3	5	0	0	0	0
13-14	192	64	116	10	2	0	0	0	0
15-20	182	45	65	70	2	0	0	0	0
21 and over	6	1	0	1	4	0	0	0	0
Unknown	12	0	7	0	5	0	0	0	0

<sup>1</sup>The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

**Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2005**

Age of Woman	Total	Mention of any Complication		
		Yes	No	Unknown
Total	3,279	0	3,279	0
Under 15	12	0	12	0
Total 15 to 19	512	0	512	0
15-17	163	0	163	0
18-19	349	0	349	0
20-24	1,041	0	1,041	0
25-29	788	0	788	0
30-34	462	0	462	0
35-39	315	0	315	0
40-44	88	0	88	0
45 and over	3	0	3	0
Unknown	58	0	58	0

**Table R17. Abortions by age of woman and contraceptive history, residents: Utah, 2005**

Age of Woman	Total	Contraceptive History in Past Year		
		Yes	No	Unknown
Total	3,279	1,480	1,546	253
Under 15	12	2	9	1
Total 15 to 19	512	207	277	28
15-17	163	54	102	7
18-19	349	153	175	21
20-24	1,041	485	489	67
25-29	788	385	338	65
30-34	462	211	208	43
35-39	315	135	157	23
40-44	88	29	51	8
45 and over	3	1	2	0
Unknown	58	25	15	18

**Table R18. Abortions by age of woman, pregnancy due to omission of contraceptive, residents: Utah, 2005**

Age of Woman	Total	Omission to use Contraceptive		
		Yes	No	Unknown
Total	3,279	598	531	2,150
Under 15	12	2	0	10
Total 15 to 19	512	96	80	336
15-17	163	25	20	118
18-19	349	71	60	218
20-24	1,041	198	170	673
25-29	788	160	137	491
30-34	462	78	71	313
35-39	315	46	55	214
40-44	88	8	11	69
45 and over	3	0	1	2
Unknown	58	10	6	42

Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2005

Age of Woman	Total	Methods of contraceptive used in past year											Not Applicable
		Oral (pill)	Diaphragm	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo provera	Other	Un-known	
Total	3,279	582	10	31	585	40	15	16	28	89	158	282	1,799
Under 15	12	0	0	0	2	0	0	0	0	0	0	1	10
Total 15 to 19	512	96	0	0	80	3	2	0	0	16	18	32	305
15-17	163	23	0	0	25	0	0	0	0	3	2	9	109
18-19	349	73	0	0	55	3	2	0	0	13	16	23	196
20-24	1,041	215	4	6	178	10	2	2	4	30	61	73	556
25-29	788	142	2	7	159	13	3	4	12	23	41	74	403
30-34	462	76	3	6	83	8	5	7	3	9	20	46	251
35-39	315	35	1	9	59	5	3	2	5	10	12	28	180
40-44	88	7	0	2	14	0	0	1	3	0	4	9	59
45 and over	3	0	0	0	1	0	0	0	0	0	0	0	2
Unknown	58	11	0	1	9	1	0	0	1	1	2	19	33

The totals do not add because more than one choice is possible for each number in the total.

Table R20. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2005

Marital Status	Total	Methods of contraceptive used in past year											Not Applicable
		Oral (pill)	Diaphragm	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo provera	Other	Un-known	
Total	3,279	582	10	31	585	40	15	16	28	89	158	282	1,799
Never Married	1,836	366	3	8	341	14	6	5	11	49	95	69	978
Married	596	87	3	11	113	9	6	10	12	11	30	51	317
Widowed	12	3	0	2	1	0	0	0	0	1	0	0	5
Divorced	382	74	3	8	75	9	3	1	3	16	20	10	187
Separated	164	31	0	2	33	7	0	0	1	8	9	8	78
Unknown	289	21	1	0	22	1	0	0	1	4	4	144	234

The totals do not add because more than one choice is possible for each number in the total.

**Table R21. Abortions by number of prior abortions and prior live births and method of contraceptive, residents: Utah, 2005**

Births Now Living/ Prior Abortions	Method of Contraceptive												
	Total	Oral		Foam			Surgical			Depo		Un- known	Not Applicable
		(pill)	Diaphragm	Jelly	Condom	I U D	Steril- ization	Rhythm	Coitus	provera	Other		
Total	3,279	582	10	31	585	40	15	16	28	89	158	282	1,799
No Live Births	1,325	274	7	5	271	2	5	4	9	26	54	76	699
One Live Birth	710	127	1	6	106	14	2	3	4	25	45	55	390
More than One Birth	1,184	179	2	20	196	23	8	9	15	38	57	130	666
Births Unknown	60	2	0	0	12	1	0	0	0	0	2	21	44
No Abortions	2,104	380	7	16	372	23	10	6	18	57	85	154	1,171
No Live Births	1,006	201	4	2	205	1	3	1	7	19	31	61	551
One Live Birth	450	81	1	4	65	9	2	1	3	14	26	31	250
More than One Birth	647	98	2	10	102	13	5	4	8	24	28	61	369
Births Unknown	1	0	0	0	0	0	0	0	0	0	0	1	1
One Abortion	756	146	1	10	136	8	1	8	7	28	44	67	391
No Live Births	246	57	1	3	53	1	1	3	2	7	15	12	111
One Live Birth	182	32	0	2	26	4	0	1	1	10	11	20	101
More than One Birth	322	56	0	5	55	3	0	4	4	11	17	35	177
Births Unknown	6	1	0	0	2	0	0	0	0	0	1	0	2
More Than One Abortion	335	52	2	5	61	6	4	2	3	4	26	35	178
No Live Births	68	15	2	0	12	0	1	0	0	0	8	3	34
One Live Birth	75	14	0	0	14	1	0	1	0	1	8	4	37
More than One Birth	192	23	0	5	35	5	3	1	3	3	10	28	107
Births Unknown	0	0	0	0	0	0	0	0	0	0	0	0	0
Abortions Unknown	84	4	0	0	16	3	0	0	0	0	3	26	59
No Live Births	5	1	0	0	1	0	0	0	0	0	0	0	3
One Live Birth	3	0	0	0	1	0	0	0	0	0	0	0	2
More than One Birth	23	2	0	0	4	2	0	0	0	0	2	6	13
Births Unknown	53	1	0	0	10	1	0	0	0	0	1	20	41

The totals do not add because more than one choice is possible for each number in the total.

**Table R22. Abortions by education of woman and method of contraceptive, residents: Utah, 2005**

Education	Method of Contraceptive												
	Total	Oral		Foam			Surgical			Depo		Un- known	Not Applicable
		(pill)	Diaphragm	Jelly	Condom	I U D	Steril- ization	Rhythm	Coitus	provera	Other		
Total	3,279	582	10	31	585	40	15	16	28	89	158	282	1,799
Under 12 Years	479	73	0	2	72	8	0	2	5	17	11	16	291
High School	1,192	220	2	10	215	15	12	2	7	35	69	35	634
Over 12 Years	1,168	250	7	18	264	13	2	11	13	31	70	37	530
Unknown	440	39	1	1	34	4	1	1	3	6	8	194	344

The totals do not add because more than one choice is possible for each number in the total.



*2005 Appendix:*

**Abortions**



## Technical Appendix

Section 76-7-313, Utah Code Annotated 1953 as amended requires that the report of induced termination of pregnancy (Figure A) be filed with the State of Utah's Department of Health within ten days after the abortion.

The reported number of abortions to Utah residents that are performed out of state is small and suggests an undercount. This small number of reported abortions that occur in other states are not shown by county of residence in this report.

For both the summary and reference tables in this report, data are tabulated by health district as well as county of residence to meet the needs of local health departments.

Population data are from the Demographic and Economic Analysis section of the Governor's Office of Planning and Budget.

Formulas used to compute rates and ratios used in this report are defined as follows:

$$\text{Abortion Rate} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Resident Females 15-44 Years of Age}}$$

$$\text{Abortion Ratio} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Live Births to Resident Females}}$$

# STATE OF UTAH DEPARTMENT OF HEALTH REPORT OF INDUCED TERMINATION OF PREGNANCY

**CONFIDENTIAL**  
This report will be used for statistical purposes by the Utah Department of Health. It may be used to insure compliance with the provisions of the Utah State Abortion Law. It will be kept Confidential pursuant to Chapter 25, Title 26.

**Figure 1**

1. PLACE where termination occurred-hospital or other facility. If not in hospital or clinic, enter street address.				1b. CITY		1c. COUNTY	
2. RESIDENCE State _____ County _____ City, Village _____ Zip Code _____			3. PATIENT'S BIRTHDATE Month _____ Year _____		4. MARITAL STATUS 1 <input type="checkbox"/> Never Married 2 <input type="checkbox"/> Married 3 <input type="checkbox"/> Widowed 4 <input type="checkbox"/> Divorced 5 <input type="checkbox"/> Separated		
5. WAS PATIENT OF HISPANIC ORIGIN? 1 <input type="checkbox"/> Yes (If yes, Specify) 2 <input type="checkbox"/> No 1 <input type="checkbox"/> Mexican 2 <input type="checkbox"/> Cuban 3 <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Other (Specify) _____			6. RACE 1 <input type="checkbox"/> White 2 <input type="checkbox"/> Black 3 <input type="checkbox"/> American Indian 9 <input type="checkbox"/> Asian/Pacific Islander <input type="checkbox"/> Other (Specify) _____			7. EDUCATION (Specify highest grade completed) Elementary/Secondary (0-12) College (13-16 or 17+)	
8. PREVIOUS PREGNANCIES (Complete each section)				9. CONTRACEPTIVE HISTORY Has the patient practiced contraception in the past year? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown		10. METHODS (if "yes" to no. 9, what method(s) used?) 0 <input type="checkbox"/> Oral (pill) 5 <input type="checkbox"/> Surgical Sterilization 1 <input type="checkbox"/> Diaphragm 6 <input type="checkbox"/> Rhythm 2 <input type="checkbox"/> Foam Jelly 7 <input type="checkbox"/> Coitus Interruptus (Withdrawal) 3 <input type="checkbox"/> Condom 8 <input type="checkbox"/> Depo Provera 4 <input type="checkbox"/> IUD 9 <input type="checkbox"/> Other {Specify} _____	
8a. Now Living Number _____ None <input type="checkbox"/>		8b. Now Dead Number _____ None <input type="checkbox"/>		8c. Spontaneous Terminations Number _____ None <input type="checkbox"/>		8d. Induced Terminations Number _____ None <input type="checkbox"/>	
11. If "Yes" to no. 9, did the pregnancy follow from temporarily omitting the method of contraception? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown If "Yes", which method? _____				12. ANTI-RH IMMUNE globulin indicated 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown		13. ANTI-RH IMMUNE globulin given 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Patient Refused	
14. DATE OF TERMINATION Month _____ Day _____ Year _____			15. FIRST DAY OF LAST MENSTRUAL PERIOD Month _____ Day _____ Year _____			16. CLINICAL ESTIMATE OF GESTATION (Weeks) _____	
17. EVIDENCE OF PREVIOUS ATTEMPT TO TERMINATE THIS PREGNANCY 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown				18a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one) 1 <input type="checkbox"/> Suction Curettage 2 <input type="checkbox"/> Sharp Curettage (D & C) 3 <input type="checkbox"/> Dilatation and Evacuation (D & E) 4 <input type="checkbox"/> Medical (Nonsurgical), Specify Medication(s) _____ 5 <input type="checkbox"/> Intra-Uterine Instillation (Saline or Prostaglandin) 6 <input type="checkbox"/> Hysterotomy/Hysterectomy 7 <input type="checkbox"/> Other (Specify) _____		18b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY (Check all that apply) 1 <input type="checkbox"/> Maternal Life Endangered 2 <input type="checkbox"/> Therapeutic 3 <input type="checkbox"/> Fetal Malformation 4 <input type="checkbox"/> HIV Positive 5 <input type="checkbox"/> Rape 6 <input type="checkbox"/> Incest 7 <input type="checkbox"/> Elective 8 <input type="checkbox"/> Other	
20. COMPLICATIONS (Check all that apply) 0 <input type="checkbox"/> None 1 <input type="checkbox"/> Hemorrhage 2 <input type="checkbox"/> Perforation of Uterus 3 <input type="checkbox"/> Cervical Laceration 4 <input type="checkbox"/> Infection 5 <input type="checkbox"/> Anesthetic 6 <input type="checkbox"/> Retained Products 7 <input type="checkbox"/> Death				8 <input type="checkbox"/> Other, Specify: _____			
21. HOSPITALIZATION REQUIRED AS A RESULT OF COMPLICATIONS 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No If "yes", Name of Hospital: _____						ADMISSION DATE: _____/_____/_____	
22. WAS THE FETUS CAPABLE OF SURVIVAL OUTSIDE THE UTERUS? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown				Subscribed & sworn to before me this _____ day of _____ 19____			
23. I hereby certify that the required consent was voluntarily obtained as provided in Section 76-7-305, Utah Code Annotated, 1953 as Amended.				Notary Public _____			
24. SIGNATURE OF PHYSICIAN _____				S E A L			
25. NAME OF PHYSICIAN (Print or Type)			26. DATE				

(COMPLETE REVERSE SIDE ALSO)

**CONFIDENTIAL**

(Figure 1 continued)

## SURGICAL PATHOLOGY REPORT

GROSS and MICROSCOPIC  
TO BE COMPLETED ON ALL INDUCED ABORTIONS

- 1) Presence of chorionic villi ..... 1  Yes 2  No 9  Unknown
- 2) Presence of decidual tissue ..... 1  Yes 2  No 9  Unknown
- 3) Presence of marked inflammatory reaction. .... 1  Yes 2  No 9  Unknown
- 4) Presence of embryo or fetal parts. .... 1  Yes 2  No 9  Unknown
- 5) Gross appearance of embryo ..... 1  Normal  
2  Macerated  
3  Malformed - Type \_\_\_\_\_

- 6) Measurements of embryo ..... Length \_\_\_\_\_ cms  
Weight \_\_\_\_\_ gms.

### COMPLETE THIS SECTION FOR ABORTIONS BEYOND 90 DAYS GESTATION

1. **Measurement of Embryo**  
Heel to Toe \_\_\_\_\_ mm.  
Biparietal Diameter \_\_\_\_\_ cm.  
Date BPD Measured \_\_\_\_\_
2. **Complications or Post-Operative Morbidity**  
00  None  
01  Cardiac Arrest  
02  Disseminated Intravascular Coagulation  
03  Ectopic Pregnancy  
04  Failed Abortion  
05  Hemorrhage (less than 500 ml.)  
06  Hemorrhage (500 ml. or more)  
07  Incomplete abortion (retained tissue)  
08  Injury to cervix  
09  Pelvic Infection  
10  Perforation  
11  Postabortal bleeding or spotting  
12  Pulmonary embolism or infarction  
13  Reaction to Anesthesia - general  
14  Reaction to Anesthesia - local  
15  Respiratory arrest  
16  Other, Specify \_\_\_\_\_
3. **Time of Complication**  
1  During Procedure  
2  During Recovery  
3  After Discharge
4. **Management of Complication**  
1  Hospitalization (immediate)  
2  Hospitalization (later by Facility)  
3  Hospitalization (later not by Facility)  
4  Repeat Evacuation (immediate)  
5  Repeat Evacuation (later at Facility)  
6  Repeat Evacuation (later not at Facility)
5. **Two Week Follow-up**  
1  In Facility, Normal  
2  Other \_\_\_\_\_  
3  Other Facility, Normal  
4  Other \_\_\_\_\_  
5  Examination Not Done  
6  Unable to Contact
6. **Future Contraception Planned**  
1  Oral (Pill)  
2  IUD  
3  Diaphragm  
4  Other Contraception  
5  None Wanted
7. **Reason for Late Abortion**  
1  Woman continued to have menses  
2  Afraid to tell parents, spouse, etc.  
3  Denial of Pregnancy  
4  Planned pregnancy, change of circumstances  
5  Suspected or known fetal malformation  
6  Late referral  
7  Unable to afford cost earlier in pregnancy  
8  Other, Specify \_\_\_\_\_





UTAH DEPARTMENT OF HEALTH  
CENTER FOR HEALTH DATA  
OFFICE OF VITAL RECORDS AND STATISTICS  
PO BOX 141012  
SALT LAKE CITY UT 84114-1012