



Child Care OST Pre-License Inspection

This inspection checklist is the tool CCL licensors use to ensure consistency for every inspection.

R381-70: childcarelicensing.utah.gov

Facility Name:		Facility ID:		Phone Number:		Notes
Address:		Number of Rooms:		Email Address:		
		Size of Outdoor Play Area:		Capacity based on outdoor play area:		
Director:		Requested Capacity:		Capacity Based on square footage:		
Number of toilets:		Number of urinals:		Capacity based on toilets:		
Number of sinks:		Number of portable sinks:		Capacity based on sinks:		

Please Review The following items prior to the inspection: (Mark with a check mark if completed and make and necessary notes)	Additional Notes
<input type="checkbox"/> Sex Offender Registry	
<input type="checkbox"/> DWS Payment to Provider Terms and Conditions signed	
<input type="checkbox"/> DAS Review	
<input type="checkbox"/> Facility Personnel Listed in UCCLAPP	
<input type="checkbox"/> Does provider have an Emergency Preparedness, Response, and Recovery Plan?	
<input type="checkbox"/> Safety Glass	

Inspection Information:

- **The facility must be completed, set up, and ready as if you were providing care the day of the inspection.** All areas that you want inaccessible to children during care must remain inaccessible for this inspection. During the inspection, the licensor will ask to have locked areas unlocked. All accessible areas must be compliant with all applicable rules during the inspection. All rules must be compliant before you can receive your license. You have 6 months to complete the application process; otherwise, you will need to re-apply and pay the application fees again.

- **I will email you this inspection checklist after the inspection is completed.** If the only rule violations are documentation and/or records, please submit them to Licensing by the correction required date listed. A licensor may conduct a follow-up inspection to verify compliance and maintenance of any violation.

- **You may submit feedback on this inspection through your Child Care Licensing Portal or at <https://childcarelicensing.utah.gov/EvalForm.html>**

Signature Information							
Inspection Type:		Date:		Time Started:		Time Ended:	
Number of Rule Violations:		Name of Individual Informed of this Inspection:		Licensor(s) Conducting this Inspection:			
Signature of Informed Individual:						Date Signed:	



Child Care OST Pre-License Inspection

This inspection checklist is the tool CCL licensors use to ensure consistency for every inspection.

R381-70: Childcarelicensing.utah.gov

Licensors Introductory Items

<input type="checkbox"/>	Introduction of any unknown CCL staff to the provider	<input type="checkbox"/>	ASK: How many hot water tanks are in the facility? Do any of the sinks have mixing valves ?
<input type="checkbox"/>	Give a brief explanation of the inspection process to the provider	<input type="checkbox"/>	ASK: Are parts of the facility rented or lived in? If YES: Review the signed lease agreement and verify that there is a separate mailing address, a separate entrance and that there are no connecting unlocked interior doorways.
<input type="checkbox"/>	Child Care Licensing Portal	<input type="checkbox"/>	Show the website and review Payments, Forms and Documents, and Contact List
<input type="checkbox"/>	Review the inspection types and the complaint investigation process.	<input type="checkbox"/>	Review where to locate the rules and the Interpretation Manual
<input type="checkbox"/>	Review the Corrective Action Grid in Section 5 of the Interpretation Manual.	<input type="checkbox"/>	
<input type="checkbox"/>	Wash hands or use hand sanitizer before touching items in the facility.	<input type="checkbox"/>	

General Notes

Rooms Used by Children

RULES CHECKLIST

Rule #	Rules	C = Compliant NC = Not Compliant NO = Not Observed NA = Not Applicable	C	NC	NO	NA	Compliance Required By:	Corrected During Inspection	RISK: Low, Moderate , High Extreme	Notes
Section 5: Rule Violations and Penalties			C	NC	NO	NA		CDI	L, M, H, Ex	Notes
-70-5(4)(e)	The department may deny or revoke a license if the child care provider <i>fails to allow authorized representatives of the department access to the facility</i> to ensure compliance with this rule		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
Section 6: Administration and Children's Records			C	NC	NO	NA		CDI	L, M, H, Ex	Notes
Phase 3 Conditions	<ul style="list-style-type: none"> Will the provider restrict indoor groups of school-age children to no more than 20 children and one caregiver; 20 people or less for all other age groups? Will the provider restrict outdoor groups to 40 children or less, if outdoor square footage allows, and no more than 50 people total? If the provider's approved capacity was for more than 20 children, will the provider ensure each group of 20 individuals or less was in a separate room with full, solid walls that are higher than 6 feet? Will the provider stay within their licensing approved capacity? Will the provider allow groups of more than 20 individuals to gather together even for short times or special activities? Will the provider ensure that staff, children, household members, and visitors were screened for fever, cough, trouble breathing, sore throat, sudden change in taste or smell, and muscle aches and pains at the beginning of the day and upon arrival, and not allow any symptomatic individuals to enter the facility. Will anyone with any of these symptoms be sent home and tested for COVID-19? Will the provider ensure that anyone coming into the facility washed their hands with soap and running water or alcohol-based hand sanitizer before touching any facility surface? Will the provider restrict off-site activities to places or environments where social distance and proper cleaning practices can be controlled? If there is a confirmed case of COVID-19 at the facility, will the provider consult with their local health department and follow their instructions? Will the provider ensure that surfaces, items, and areas that are used and touched often were cleaned and sanitized at least daily and before a new group used the room? 									
-70-6(7)	The provider shall post a current copy of the department's Parent Guide at the facility for parent review during business hours.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	L	
-70-6(9)(a)-(b)	The provider shall have liability insurance ; or inform parents in writing that the provider does not have liability insurance.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	L	
-70-6(11)(a)-(m)	The provider shall ensure that each child's admission and health assessment form includes the following information : (a) child's name; (b) child's date of birth; (c) parent's name, address, and phone number, including a daytime phone number; (d) names of individuals authorized by the parent to sign the child out from the facility; (e) name, address, and phone number of an individual to be contacted if an emergency happens and the provider cannot contact the parent; (f) if available, the name, address, and phone number of an out-of-area emergency contact individual for the child; (g) parent's permission for emergency transportation and emergency medical treatment; (h) any known allergies of the child; (i) any known food sensitivities of the child; (j) any chronic medical conditions that the child may have; (k) instructions for special or nonroutine daily health care of the child; (l) current ongoing medications that the child may be taking; and (m) any other special health instructions for the caregiver.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	L, M	
Section 7: Personnel and Training Requirements			C	NC	NO	NA		CDI	L, M, H, Ex	Notes
-70-7(23) (a)-(c)	The provider shall ensure that at least one staff member with a current Red Cross, American Heart Association, or equivalent pediatric first aid and CPR certification is present when children are in care: (a) at the facility; (b) in each vehicle transporting children; and (c) at each offsite activity.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	

-70-7(24)	The provider shall ensure that CPR certification includes hands-on testing.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-7(25)(a)-(c)	The provider shall ensure that the following records for each covered individual are kept on-site for review by the department: (a) the date of initial employment or association with the program; (b) a current pediatric first aid and CPR certification, if required in this rule; and (c) a six-week record of the times worked each day.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	L	
Section 8: Background Checks		C	NC	NO	NA		CDI	L, M, H, Ex	Notes
-70-8(1)(a)-(b)	Before a new covered individual becomes involved with child care in the program, the provider shall use the CCL provider portal search to: (a) verify that the individual has a current CCL background check; and (b) associate that individual with their facility if the covered individual appears in the search.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-8(2)(a)-(d)	Before a new covered individual who does not appear in the CCL provider portal search becomes involved with child care in the program, the provider shall: (a) have the individual submit an online background check form and fingerprints for individuals age 18 years old and older; (b) authorize the individual's background check through the CCL provider's portal; (c) pay any required fees; and (d) receive written notice from CCL that the individual passed the background check.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	H	
Section 9: Facility		C	NC	NO	NA		CDI	L, M, H, Ex	Notes
-70-9(6)	The provider shall ensure that any building or play structure on the premises constructed before 1978 that has peeling, flaking, chalking, or falling paint is tested for lead.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M, H	
-70-9(7)	The provider shall ensure that each room and indoor area that is used by children is ventilated by mechanical ventilation, or by windows that open and have screens.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	L, M	
-70-9(8)	The provider shall ensure that windows and glass doors within 36 inches from the floor or ground are made of safety or tempered glass, or have a protective guard.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-9(9)	The provider shall ensure that rooms and areas have adequate light intensity for the safety of the children and the type of activity being conducted.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	L, M	
-70-9(10)	The provider shall maintain the indoor temperature between 65 and 82 degrees Fahrenheit.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	L, M	
-70-9(11)	The provider shall ensure that there is a working telephone at the facility, in each vehicle while transporting children, and during offsite activities.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-9(12)	The provider shall ensure that there are at least two working toilets and two working handwashing accessible to children in the center.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	L	
-70-9(13)	The provider shall ensure that there is at least one additional working toilet and one additional handwashing sink for each additional group of one to 25 children.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-9(14)	The provider shall ensure that there are bathrooms that provide privacy available for use by children.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-9(18)	The provider shall ensure that the outdoor area is enclosed within a fence, wall, or solid natural barrier that is at least four feet high.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M, H	
-70-9(19)	The provider shall ensure that there is no gap five by five inches or greater in or under the fence or barrier.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M, H	
-70-9(21)	The provider shall ensure that there is shade available to protect the children from excessive sun and heat when children are in the outdoor area.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	L, M	

-70-13(10)	The provider shall ensure that live electrical wires are inaccessible to children.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M, H	
-70-13(11)(a)-(b)	Unless used and stored in compliance with the Utah Concealed Weapons Act or as otherwise allowed by law, the provider shall ensure that firearms such as guns, muzzleloaders, rifles, shotguns, hand guns, pistols, and automatic guns are: (a) locked in a cabinet or area using a key, combination lock, or fingerprint lock; and (b) stored unloaded and separate from ammunition.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	H, Ex	
-70-13(12)	The provider shall ensure that weapons such as paintball guns, BB guns, airsoft guns, sling shots, arrows, and mace are inaccessible to children.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	H	
-70-13(13)	The provider shall ensure that alcohol, illegal substances, and sexually explicit material are inaccessible, and not used on the premises, during offsite activities, or in center vehicles any time a child is in care.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	H	
-70-13(14)	The provider shall ensure that an outdoor source of drinking water, such as individually labeled water bottles, a pitcher of water and individual cups, or a working water fountain is available to each child when the outside temperature is 75 degrees or higher.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M, H	
-70-13(15)	The provider shall ensure that areas accessible to children are free of heavy or unstable objects that children could pull down on themselves, such as furniture, unsecured televisions, and standing ladders.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-13(16)	The provider shall ensure that hot water accessible to children does not exceed 120 degrees Fahrenheit.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	L, M	
-70-13(17)(a)-(d)	The provider shall ensure that tobacco, e-cigarettes, e-juice, e-liquids, and similar products are inaccessible and, in compliance with the Utah Indoor Clean Air Act, not used: (a) in the facility or any other building when a child is in care; (b) in any vehicle that is being used to transport a child in care; (c) within 25 feet of any entrance to the facility or other building occupied by a child in care; or (d) in any outdoor area or within 25 feet of any outdoor area occupied by a child in care.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M, H	
Section 14: Emergency Preparedness Response, and Recovery		C	NC	NO	NA		CDI	L, M, H, Ex	Notes
-70-14(1)(a)-(d)	The provider shall have a written emergency preparedness, response, and recovery plan that: (a) includes procedures for evacuation, relocation, shelter in place, lockdown, communication with and reunification of families, and continuity of operations; (b) includes procedures for accommodations for children with disabilities and children with chronic medical conditions; (c) is available for review by parents, staff, and the departments during business hours; and (d) is followed if an emergency happens, unless otherwise instructed by emergency personnel.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-14(2)	The provider shall post the center's street address and emergency numbers, including at least fire, police, and poison control, near each telephone in the center or in an area clearly visible to anyone needing the information.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	L, M, H	
-70-14(3)	The provider shall keep first-aid supplies in the center, including at least antiseptic, bandages, and tweezers.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	L	
-70-14(5)(a)-(e)	The provider shall document each fire drill, including: (a) the date and time of the drill; (b) the number of children participating; (c) the name of the individual supervising the drill; (d) the total time to complete the evacuation; and (e) any problems encountered and remediation.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	L	

-70-14(7)(a)-(e)	The provider shall document each disaster drill, including: (a) the type of disaster, such as earthquake, flood, prolonged power or water outage, or tornado; (b) the date and time of the drill; (c) the number of children participating; (d) the name of the individual supervising the drill; and (e) any problems encountered and remediation.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	L		
Section 15: Health and Infection Control		C	NC	NO	NA		CDI	L, M, H, Ex	Notes
-70-15(1)(a)-(f)	The provider shall keep the building, furnishings, equipment, and outdoor area clean and sanitary including: (a) walls and flooring clean and free of spills, dirt, and grime; (b) areas and equipment used for the storage, preparation, and service of food clean and sanitary; (c) surfaces free of rotting food or a build-up of food; (d) the building and grounds free of a build-up of litter, trash, and garbage; (e) frequently touched surfaces, including doorknobs and light switches, cleaned and sanitized; and (f) the facility free of animal feces.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		
-70-15(2)	The provider shall take safe and effective measures to prevent and eliminate the presence of insects, rodents, and other pests.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		
-70-15(7)	The provider shall keep toilet paper in a dispenser that is accessible to children	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		
-70-15(8)	The provider shall post handwashing procedures that are readily visible from each handwashing sink and shall ensure that the procedures are followed.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	L		
-70-15(12)	The provider shall ensure that only single-use towels from a covered dispenser or an electric hand dryer is used to dry hands.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	L		
Section 16: Food and Nutrition		C	NC	NO	NA		CDI	L, M, H, Ex	Notes
-70-16(2)(a)-(e)	If food for children's meals or snacks is supplied by the provider, the provider shall ensure that: (a) the meal service meets local health department food service rules; (b) the foods that are served meet the nutritional requirements of the USDA Child and Adult Care Food Program (CACFP) whether or not the provider participates in the CACFP; (c) the provider uses the CACFP meal pattern requirements, the standard department-approved menus, or menus approved by a registered dietitian, and that dietitian approval is noted and dated on the menus, and current within the past five years; (d) the current week's menu is posted for review by parents and the department; and (e) if not participating or in good standing with the CACFP, keep a six-week record of foods served at each meal and snack.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	L		
Section 17: Medications		<input type="checkbox"/>	Check here if there are NO Medications on the premises and the provider does not administer medications				CDI	L, M, H, Ex	Notes
-70-17(1)	The provider shall lock nonrefrigerated medications or store them at least 48 inches above the floor.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		
-70-17(2)	The provider shall lock refrigerated medications or store them at least 36 inches above the floor and, if liquid, store them in a separate leakproof container.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		
-70-17(5)(a)-(d)	The provider shall ensure that the medication permission form includes at least: (a) the name of the child; (b) the name of the medication; (c) written instructions for administration; and (d) the parent signature and the date signed.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	L		

-70-17(6)(a)-(d)	The provider shall ensure that instructions for administering the medication include at least: (a) the dosage; (b) how the medication will be given; (c) the times and dates to administer the medication; and (d) the disease or condition being treated.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
Section 18: Activities		C	NC	NO	NA		CDI	L, M, H, Ex	Notes
-70-18(5)	The provider shall ensure that toys, materials, and equipment needed to support children's healthy development are available to the children.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-18(7)(a)-(d)	If swimming activities are offered or if wading pools are used , the provider shall ensure that: (a) the parent gives permission before their child in care uses the pool; (b) staff stay at the pool supervising when a child is in the pool or has access to the pool, and when an accessible pool has water in it; (c) if the pool is over four feet deep, there is a lifeguard on duty who is certified by the Red Cross or other approved certification program any time children have access to the pool; and (d) lifeguards and pool personnel do not count toward the caregiver-to-child ratio.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M, H	
Section 19: Play Equipment		<input type="checkbox"/>	Check here if there is no play equipment				CDI	L, M, H, Ex	Notes
-70-19(2)	The provider shall ensure that stationary play equipment has a surrounding use zone that extends from the outermost edge of the equipment and that, with the exception of swings, stationary play equipment has at least a six-foot use zone if any designated play surface is higher than 30 inches.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-19(3)	The provider shall ensure that the use zone in the front and rear of a single-axis swing extends at least twice the distance of the swing pivot point to the ground.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-19(4)	The provider shall ensure that the use zone for a multi-axis swing , such as a tire swing, extends at least the measurement of the suspending rope or chain plus six feet.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-19(5)	The provider shall ensure that the use zone for a merry-go-round extends at least six feet in any direction from its outermost edge.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-19(6)(a)-(b)	The provider shall ensure that the use zone for a spring rocker extends: (a) at least three feet from the outermost edge of the rocker when at rest ; or (b) at least six feet from the outermost edge of the rocker when at rest if the seat is higher than 20 inches.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-19(7)(a)-(d)	The provider shall ensure that the following use zones do not overlap the use zone of any other piece of play equipment : (a) the use zone in front of a slide; (b) the use zone in the front and rear of any single-axis swing, including a single-axis enclosed swing; (c) the use zone of a multi-axis swing; and (d) the use zone of a merry-go-round if the platform diameter measures 20 inches or more.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-19(8)	Unless prohibited in Subsection R381-70-19(7), the provider shall ensure that the use zones of play equipment only overlap when there is at least six feet between the pieces of equipment if the designated play surface is 30 inches or lower, or there is at least nine feet between the pieces of equipment if the designated play surface is higher than 30 inches.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
-70-19(9)	The provider shall ensure that, when in use, stationary play equipment is not placed on a hard surface such as concrete, asphalt, dirt, or the bare floor.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	

-70-19(10)	The provider shall ensure that protective cushioning covers the entire surface of each required use zone and that its depth or thickness is determined by the highest designated play surface of the equipment.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		
-70-19(11)(a)-(c)	If sand, gravel, or shredded tires are used as protective cushioning , the provider shall: (a) ensure that the cushioning is periodically checked for compaction and loosened to the depth listed in Table 1 if compacted; (b) if the material cannot be loosened due to extreme weather conditions, not allow children to play on the equipment until the material can be loosened to the required depth; and (c) ensure that the depth of the material meets the guidelines in Table 1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		
-70-19(12)(a)-(c)	If shredded wood products are used as protective cushioning , the provider shall: (a) keep on-site for review by the department documentation from the manufacturer that the wood product is protective cushioning; (b) ensure there is adequate drainage under the material; and (c) ensure the depth of the shredded wood meets the guidelines in Table 2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		
-70-19(13)	If a unitary cushioning is used , the provider shall maintain on-site for review by the department documentation from the manufacturer that the material is cushioning for playgrounds.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	L, M		
-70-19(14)	If a unitary cushioning is used , the provider shall ensure that the cushioning material is securely installed, so that it cannot become displaced when children jump, run, walk, land, or move on it, or be moved by children picking it up.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		
-70-19(15)	The provider shall ensure that a play equipment platform that is more than 48 inches above the floor or ground has a protective barrier that is at least 38 inches high.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		
-70-19(16)	The provider shall ensure that there is no gap greater than 3-1/2 inches in or under a required protective barrier on a play equipment platform.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		
-70-19(17)	The provider shall ensure that stationary play equipment is stable or securely anchored.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		
-70-19(18)	The provider shall ensure that there are no trampolines on the premises that are accessible to any child in care.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	H		
-70-19(19)	The provider shall ensure that there are no entrapment hazards on or within the use zone of any piece of stationary play equipment.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	H		
-70-19(20)	The provider shall ensure that there are no strangulation hazards on or within the use zone of any piece of stationary play equipment.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	H		
-70-19(21)	The provider shall ensure that there are no crush, shearing, or sharp edge hazards on or within the use zone of any piece of stationary play equipment.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	H		
-70-19(22)	The provider shall ensure that there are no tripping hazards such as concrete footings, tree stumps, tree roots, or rocks within the use zone of any piece of stationary play equipment.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		
Section 20: Transportation		<input type="checkbox"/>	Check here if the provider does not transport children				CDI	L, M, H, Ex	Notes
-70-20(2)(a)-(e)	The provider shall ensure that each vehicle used for transporting children: (a) is enclosed with a roof or top; (b) is equipped with safety restraints; (c) has a current vehicle registration; (d) is maintained in a safe and clean condition; and (e) contains first aid supplies, including at least antiseptic, bandages, and tweezers.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M		

-70-20(3)(a)-(c)	The provider shall ensure that the safety restraints in each vehicle that transports children are: (a) appropriate for the age and size of each child who is transported, as required by Utah law; (b) properly installed; and (c) in safe condition and working order.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	M	
------------------	--	--------------------------	--------------------------	--------------------------	--------------------------	--	--------------------------	---	--

CUSHIONING INFORMATION: DPS / Bar / Pivot								
Required Depth	Fine Sand	Course Sand	Fine Gravel	Medium Gravel	Shredded Tires	Engineered Wood Fiber	Wood Chips	Mulch
6 inches	Up to 6 feet	Up to 5 feet	Up to 6 feet	Up to 5 feet	Up to 12 feet	Up to 6 feet	Up to 7 feet	Up to 6 feet
9 inches	Over 6 feet up to 9 feet	Over 5 feet up to 6 feet	Over 6 feet up to 10 feet	Over 5 feet up to 6 feet	NA	Over 6 feet or higher	Over 7 feet up to 11 feet	Over 6 feet up to 11 feet
Not Allowed	Over 9 feet or higher	Over 6 feet or higher	Over 10 feet or higher	Over 6 feet or higher	NA	NA	Over 11 feet or higher	Over 11 feet or higher

MEASUREMENTS DURING INSPECTION

Play Area	Highest Designated Play Surface	Equipment Location	Type of Cushioning	Required Depth	Hole 1	Hole 2	Hole 3	Average Depth
								0
								0
								0
								0
								0
								0
								0
								0
								0

Notes:

Safety Glass Form

Facility Name:		Facility ID:		Phone Number:	
Address:		Director:		Licensors:	
		Inspection Date:			

The Owner/Director/Provider is in compliance with the safety glass rules of the windows and glass doors within the facility because:

<input type="checkbox"/>	There are no windows or glass doors within 36 inches of the floor or ground
<input type="checkbox"/>	They are safety glass
<input type="checkbox"/>	They have safety film (a copy of the documentation is required to be on file)
<input type="checkbox"/>	They are covered with a protective guard / furniture (Indicate the room/area and protective guard / furniture used below):
Notes:	

The Owner / Director / Provider is in compliance with the safety glass rules of the windows and glass doors on the playground because:

<input type="checkbox"/>	There are no windows or glass doors within 36 inches of the floor or ground
<input type="checkbox"/>	They are safety glass
<input type="checkbox"/>	They have safety film (a copy of the documentation is required to be on file)
<input type="checkbox"/>	They are covered with a protective guard / furniture (Indicate the area and protective guard / furniture used below):
Notes:	

Owner / Director / Provider Signature:	Licensors Signature:

FACILITY MEASUREMENTS					
ROOM	Length	Width	Square Footage	Room Capacity	TOTAL CAPACITY
			0.00	0.00	Notes:
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	
			0.00	0.00	0.00