

Utah Vital Statistics

# Abortions

2017



UTAH DEPARTMENT OF  
**HEALTH**

Office of Vital Records & Statistics



**Utah Vital Statistics**

# **Abortions**

**2017**

January 2019  
Technical Report No. 297

### **Mission Statement**

The Office of Vital Records and Statistics administers the statewide system of Vital Records and Statistics by documenting and certifying the facts of births, deaths, and family formation for the legal purposes of the citizens of Utah, participates in the National Vital Statistics System, and responds to the needs of health programs, health care providers, businesses, researchers, educational institutions and the Utah public for data and statistical information.

This publication was produced by the  
**Statistical Products Section**  
in the  
**Office of Vital Records and Statistics**

**Richard J. Oborn, MPA, Director**

Staff Contributors

Yanling Shi

Cynthia Robison

Utah Department of Health  
Center for Health Data and Informatics

**OFFICE OF VITAL RECORDS AND STATISTICS**  
**PO BOX 141012**  
**SALT LAKE CITY UT 84114-1012**

Located in the Cannon Health Building  
288 North 1460 West  
Salt Lake City UT 84116

[vitalrecords.health.utah.gov](http://vitalrecords.health.utah.gov)  
[vrequest@utah.gov](mailto:vrequest@utah.gov)  
Phone: (801) 538-6843

This information can be made available  
in alternative formats upon request.



## **PREFACE**

This 2017 report is the 40th in a series on legally induced abortions in Utah required by Utah Code 76-7-305.7. Previous reports were for the combined years 1974-1975, 1975-1977, 1978-1980, each year from 1981-1998, combined years 1999-2000, 2001-2002 and each year from 2003-2016.

These tabulations are published annually to make commonly used vital records data available to law makers, health programs, health care providers, businesses, researchers, educational institutions, and the Utah public. Data are presented for the state overall, local health districts, and Utah counties.

The Utah Vital Statistics report series no longer includes abortion data for the United States. The most recent abortion data for the United States is published by the U.S. Centers for Disease Control and Prevention in the Morbidity and Mortality Weekly Report, "Abortion Surveillance - United States, 2015," Vol. 67(SS13);1-45; Atlanta, Georgia, November 23, 2015. The website for this report is <http://www.cdc.gov>. Searchers should use the keyword "abortion surveillance" to find the most current report.



# TABLE OF CONTENTS

Page

ix	List of Summary Tables
xi	List of Reference Tables
xiii	List of Appendices
S-1	Summary Tables
R-1	Reference Tables
T-1	Technical Appendix



## List of Summary Tables

### Page

- S-3 Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2017
- S-3 Table 2. Abortions occurring in Utah by state of residence: 2017
- S-4 Table 3. Abortions, live births, and abortion ratios by health district and county of residence: Utah, 1990, 2000, and 2005-2017
- S-5 Table 4. Abortions, live births, and ratios by marital status, residents: Utah, 1980, 1990 and 2000-2017
- S-6 Table 5. Population for females ages 15 to 44, residents: Utah, 1990 and 2000-2017
- S-6 Table 6. Age-specific abortion rates, residents: Utah, 1990 and 2000-2017

### Figure

- S-7 Figure 1. Abortions per 1,000 live births, residents: Utah, 2000-2017



## List of Reference Tables

### Page

- R-3 Table R1. Abortions by health district, county of residence, and age of woman: Utah, 2017
- R-4 Table R2. Abortions by health district, county of residence, and month of occurrence: Utah, 2017
- R-5 Table R3. Abortions by age and marital status of woman, residents: Utah, 2017
- R-5 Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2017
- R-5 Table R5. Abortions by age and education of woman, residents: Utah, 2017
- R-6 Table R6. Abortions by age and race of woman, residents: Utah, 2017
- R-6 Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2017
- R-7 Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2017
- R-7 Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2017
- R-7 Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2017

(List of Reference Tables continued)

- R-8 Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2017
- R-8 Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2017
- R-9 Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2017
- R-10 Table R14. Abortions by age of woman and methods of termination, residents: Utah, 2017
- R-10 Table R15. Abortions by weeks gestation and methods of termination, residents: Utah, 2017
- R-11 Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2017
- R-11 Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2017
- R-11 Table R18. Abortions by age of woman and pregnancy due to omission of contraceptive, residents: Utah, 2017
- R-12 Table R19. Abortions by age of woman and methods of contraception in past year, residents: Utah, 2017
- R-12 Table R20. Abortions by marital status of woman and methods of contraception in past year, residents: Utah, 2017

(List of Reference Tables continued)

- R-13      Table R21. Abortions by number of prior live births, prior abortions, and methods of contraception in past year, residents: Utah, 2017
- R-13      Table R22. Abortions by education of woman and methods of contraception in past year, residents: Utah, 2017

Technical Appendix

- T-4      Figure 1. State of Utah -- Department of Health report of induced termination of pregnancy



*2017 Summary Tables:*

**Abortions**



**Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2017**

Year	Estimated population for females 15-44 <sup>1</sup> years of age	Resident live births	Abortions			
			Occurrence Number	Residents		
				Number	Rate <sup>2</sup>	Ratio <sup>3</sup>
1980	342,817	41,786	4,086	3,821	11.1	91.4
1990	395,807	36,253	4,796	4,159	10.5	114.7
1991	411,839	36,019	4,213	3,759	9.1	104.4
1992	428,353	37,198	3,941	3,525	8.2	94.8
1993	443,618	37,048	3,945	3,615	8.1	97.6
1994	460,914	38,271	3,610	3,304	7.2	86.3
1995	475,165	39,554	3,705	3,292	6.9	83.2
1996	488,404	42,056	3,639	3,293	6.7	78.3
1997	502,401	43,009	3,408	3,140	6.2	73.0
1998	510,715	45,128	3,487	3,237	6.3	71.7
1999	520,259	46,243	3,381	3,160	6.1	68.3
2000	528,769	47,331	3,509	3,279	6.2	69.3
2001	534,884	47,915	3,594	3,372	6.3	70.4
2002	540,124	49,140	3,524	3,300	6.1	67.2
2003	543,155	49,834	3,576	3,338	6.1	67.0
2004	547,780	50,653	3,665	3,379	6.2	66.7
2005	555,517	51,517	3,556	3,279	5.9	63.6
2006	564,615	53,475	3,753	3,444	6.1	64.4
2007	576,269	55,063	3,932	3,516	6.1	63.9
2008	586,879	55,605	3,911	3,510	6.0	63.1
2009	596,032	53,849	3,665	3,270	5.5	60.7
2010	604,144	52,164	3,779	3,446	5.7	66.1
2011	611,975	51,144	3,386	3,081	5.0	60.2
2012	619,916	51,439	3,273	3,018	4.9	58.7
2013	630,107	50,913	3,102	2,893	4.6	56.8
2014	637,999	51,164	2,948	2,767	4.3	54.1
2015	647,960	50,776	3,176	2,986	4.6	58.8
2016	661,634	50,486	3,008	2,808	4.2	55.6
2017	675,124	48,578	2,923	2,759	4.1	56.8

<sup>1</sup>Population projections/estimates are revised as historical data become available, and rates may not agree with previous

<sup>2</sup>Rates are per 1,000 females 15 to 44 years of age.

<sup>3</sup>Ratios are per 1,000 live births.

All population estimates apply to July 1 of the selected year.

Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOPB) for years 1980-1999. For years 2000 and later the population estimates are provided by the National Center for Health Statistics (NCHS) through a collaborative agreement with the U.S. Census Bureau, IBIS Version 2017.

**Table 2. Abortions occurring in Utah by state of residence: 2017**

State of residence	Frequency	Percent
Total	2,923	100.0
Idaho	77	2.6
Nevada	22	0.8
Utah	2,759	94.4
Wyoming	41	1.4
Other states	24	0.8

Other states include: Alaska, Arizona, California, Colorado, Florida, Indiana, Kentucky, Louisiana, New York, Texas, Washington, Wisconsin, and Wyoming.

**Table 3. Abortions, live births, and abortion ratios by health district and county of residence: Utah 1990, 2000 and 2005-2017**

District and county of residence	Abortions 2017	Live births 2017	Abortion ratio 2017	Abortion ratios by year													
				1990	2000	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
<b>Total</b>	2,759	48,578	56.8	114.7	69.3	63.6	64.4	63.9	63.1	60.7	66.1	60.2	58.7	56.8	54.1	58.8	55.6
<b>Bear River</b>	109	3,037	35.9	60.9	32.6	27.9	27.2	31.7	29.9	30.7	40.8	31.6	28.7	33.4	38.9	27.7	31.1
<b>Box Elder</b>	28	809	34.6	29.4	27.1	25.1	22.9	27.4	30.2	30.2	41.4	35.9	30.5	39.7	36.2	15.7	30.1
<b>Cache</b>	80	2,194	36.5	74.7	35.0	29.3	29.2	33.3	30.2	31.4	40.4	30.6	27.6	31.0	39.4	31.3	31.9
<b>Rich</b>	1	34	29.4	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Central Utah</b>	28	1,158	24.2	36.7	23.2	27.3	17.3	17.3	24.2	20.4	24.1	29.5	21.8	22.4	18.5	21.8	21.8
<b>Juab</b>	7	204	34.3	--	--	--	--	--	--	38.1	--	--	--	--	--	--	--
<b>Millard</b>	3	207	14.5	30.4	38.3	--	--	--	--	--	--	--	--	--	--	--	--
<b>Piute</b>	0	8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Sanpete</b>	8	376	21.3	26.9	19.1	23.3	16.9	17.2	27.1	17.8	28.4	37.1	18.9	18.8	--	26.5	20.7
<b>Sevier</b>	9	331	27.2	44.0	24.0	36.2	21.4	22.3	35.7	--	23.0	28.1	38.5	30.7	32.3	19.5	23.6
<b>Wayne</b>	1	32	31.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Davis</b>	217	5,480	39.6	85.5	58.1	45.5	48.2	46.3	38.7	44.6	47.9	41.9	39.1	35.7	36.8	36.9	40.3
<b>Salt Lake</b>	1,569	16,746	93.7	181.0	117.2	112.6	113.5	114.2	115.5	109.7	119.0	106.4	107.7	100.6	94.4	105.4	94.6
<b>San Juan</b>	0	188	0.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Southeastern</b>	24	431	55.7	87.6	25.7	31.6	39.7	35.0	31.2	28.1	43.1	33.4	26.9	22.2	41.7	26.8	49.1
<b>Carbon</b>	17	211	80.6	128.0	46.5	82.2	81.4	73.4	52.5	49.7	85.4	63.1	56.6	45.6	64.2	55.6	56.8
<b>Emery</b>	1	107	9.3	--	--	--	--	--	--	--	--	--	--	--	--	--	65.6
<b>Grand</b>	6	113	53.1	183.5	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Southwest</b>	26	3,263	8.0	12.7	3.9	3.6	2.0	2.0	2.5	4.1	4.4	3.6	3.9	2.2	3.0	5.1	5.8
<b>Beaver</b>	3	101	29.7	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Garfield</b>	4	60	66.7	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Iron</b>	6	822	7.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Kane</b>	0	79	0.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Washington</b>	13	2,201	5.9	--	--	3.3	--	--	--	--	2.8	3.7	4.1	--	--	5.1	6.8
<b>Summit</b>	60	420	142.9	349.4	190.3	166.3	181.7	164.7	179.8	160.1	179.4	152.7	175.5	143.5	171.4	169.4	152.6
<b>Tooele</b>	49	983	49.8	94.9	49.2	85.1	52.8	50.7	53.7	41.9	57.6	66.7	52.5	51.6	49.3	51.1	45.2
<b>TriCounty</b>	16	877	18.2	72.5	33.2	33.8	43.7	35.5	39.0	36.0	44.2	20.7	32.5	29.7	18.9	27.1	31.7
<b>Daggett</b>	0	6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Duchesne</b>	4	334	12.0	35.3	24.8	26.8	32.3	33.8	19.0	--	44.1	28.6	22.7	28.5	22.2	27.9	19.5
<b>Uintah</b>	12	537	22.3	92.4	39.6	36.1	47.7	37.0	52.7	49.9	45.4	16.2	39.1	28.2	17.2	25.5	37.3
<b>Utah County</b>	379	11,617	32.6	32.4	23.7	22.5	23.5	24.0	24.7	26.0	24.9	25.0	21.9	22.9	22.7	27.6	27.0
<b>Wasatch</b>	25	449	55.7	105.0	71.0	52.1	61.1	80.9	76.2	48.8	55.3	92.4	57.9	55.7	52.7	44.1	46.7
<b>Weber-Morgan</b>	255	3,927	64.9	129.6	68.4	66.9	78.3	71.0	66.1	59.4	65.9	66.2	61.5	69.4	61.7	68.5	63.8
<b>Morgan</b>	4	163	24.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Weber</b>	251	3,764	66.7	132.5	69.3	68.1	80.8	72.9	67.8	61.6	66.9	67.1	63.4	71.7	64.0	71.2	66.3

Ratios are per 1,000 live births and are not computed for fewer than seven events or when the number of births is less than 30. Data for the San Juan health district was included in the Southeastern health district prior to 2015.

**Table 4. Abortions, live births, and ratios by marital status, residents: Utah, 1980, 1990, and 2000-2017**

Marital status	Year									
	1980	1990	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>										
Induced abortions	3,821	4,159	3,279	3,372	3,300	3,338	3,379	3,279	3,444	3,516
Live births	41,786	36,253	47,331	47,915	49,140	49,834	50,653	51,517	53,475	55,063
Ratio per 1,000 live births	91.4	114.7	69.3	70.4	67.2	67.0	66.7	63.6	64.4	63.9
<b>Married***</b>										
Induced abortions	975	774	809	844	756	771	795	760	830	880
Live births	39,181	31,343	39,135	39,593	40,671	41,254	41,822	42,416	43,412	44,254
Ratio per 1,000 live births	24.9	24.7	20.7	21.3	18.6	18.7	19.0	17.9	19.1	19.9
<b>Unmarried****</b>										
Induced abortions	2,820	3,351	2,455	2,348	2,268	2,143	2,270	2,230	2,187	2,371
Live births	2,605	4,886	8,175	8,322	8,469	8,580	8,831	9,101	10,063	10,809
Ratio per 1,000 live births	1,082.5	685.8	300.3	282.1	267.8	249.8	257.0	245.0	217.3	219.4

**Table 4 continued. Abortions, live births, and ratios by marital status, residents: Utah, 1980, 1990, and 2000-2017**

Marital status	Year									
	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
<b>Total</b>										
Induced abortions	3,510	3,270	3,446	3,081	3,018	2,893	2,767	2,986	2,808	2,759
Live births	55,605	53,849	52,164	51,144	51,439	50,913	51,164	50,776	50,486	48,578
Ratio per 1,000 live births	63.1	60.7	66.1	60.2	58.7	56.8	54.1	58.8	55.6	56.8
<b>Married***</b>										
Induced abortions	762	773	944	987	916	705	697	750	682	647
Live births	44,281	43,358	42,273	41,561	41,822	41,107	41,441	41,096	41,047	39,411
Ratio per 1,000 live births	17.2	17.8	22.3	23.7	21.9	17.2	16.8	18.2	16.6	16.4
<b>Unmarried****</b>										
Induced abortions	2,390	2,252	2,251	1,821	1,819	1,838	1,951	2,195	2,077	2,032
Live births	11,324	10,486	9,891	9,583	9,596	9,784	9,690	9,664	9,412	8,977
Ratio per 1,000 live births	211.1	214.8	227.6	190.0	189.6	187.9	201.3	227.1	220.7	226.4

Numbers may not add to total due to missing data.

\*\*\*The sum of women who are married plus women who are separated.

\*\*\*\*The sum of women who are widowed, divorced, and those who have never married.

**Table 5. Population for females ages 15 to 44, residents: Utah, 1990 and 2000-2017**

Year	Total 15-44	Five-year age groups (15 to 44 years of age)					
		15-19	20-24	25-29	30-34	35-39	40-44
1990	395,807	76,809	69,527	68,108	69,165	61,719	50,479
2000	528,769	109,105	113,713	85,514	72,066	74,162	74,209
2001	534,884	107,507	117,893	86,501	75,196	72,433	75,354
2002	540,124	105,723	120,489	89,315	77,867	71,166	75,564
2003	543,155	104,124	120,293	92,863	80,187	69,995	75,693
2004	547,780	103,674	119,184	96,309	82,628	70,378	75,607
2005	555,517	104,382	117,683	99,886	85,921	72,990	74,655
2006	564,615	105,061	115,729	105,473	88,019	76,585	73,748
2007	576,269	106,726	113,820	109,680	92,611	80,095	73,337
2008	586,879	108,218	113,211	111,343	98,229	82,830	73,048
2009	596,032	108,952	113,133	111,907	102,736	85,505	73,799
2010	604,144	108,828	113,615	110,898	106,420	88,193	76,190
2011	611,975	107,072	117,043	108,858	109,265	90,449	79,288
2012	619,916	106,877	120,088	106,331	110,682	94,226	81,712
2013	630,107	108,623	122,136	105,253	111,291	98,667	84,137
2014	637,999	110,107	122,849	105,633	110,806	102,558	86,046
2015	647,960	113,068	122,785	107,783	109,473	106,732	88,119
2016	661,634	116,190	122,663	112,698	109,042	110,231	90,810
2017	675,124	118,837	123,890	117,124	107,879	112,466	94,928

All population estimates apply to July 1 of the selected year.

Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOPB) for years 1980-1999. For years 2000 and later the population estimates are provided by the National Center for Health Statistics (NCHS) through a collaborative agreement with the U.S. Census Bureau, IBIS Version 2017.

**Table 6. Age-specific abortion rates, residents: Utah, 1990 and 2000-2017**


Year	Total all ages	Age of woman					
		15-19	20-24	25-29	30-34	35-39	40-44
1990	10.5	12.7	19.8	13.2	7.8	4.1	1.5
2000	6.2	5.3	10.3	8.4	6.0	3.4	1.1
2001	6.3	5.1	9.8	8.4	6.5	3.9	1.2
2002	6.1	4.8	9.5	8.6	5.9	3.9	1.2
2003	6.1	5.1	9.3	8.2	6.2	4.1	1.2
2004	6.2	4.9	10.0	7.8	6.0	4.0	1.3
2005	5.9	4.9	8.8	7.9	5.4	4.3	1.2
2006	6.1	5.3	9.7	8.0	5.5	3.8	1.2
2007	6.1	5.4	9.9	7.6	5.4	3.8	1.5
2008	6.0	5.2	9.1	7.9	5.2	3.9	1.7
2009	5.5	4.2	8.9	6.9	5.1	3.9	1.4
2010	5.7	4.0	9.3	7.7	5.2	3.8	1.8
2011	5.0	3.8	8.2	7.1	4.6	3.0	1.5
2012	4.9	3.4	7.9	6.5	4.6	3.6	1.5
2013	4.6	3.1	7.6	6.3	4.8	2.9	1.2
2014	4.3	3.0	7.1	6.1	4.3	3.2	1.1
2015	4.6	3.1	7.7	6.9	4.5	2.9	1.4
2016	4.2	2.4	7.2	6.3	4.2	2.9	1.2
2017	4.1	2.8	7.0	5.9	4.2	2.5	1.0

Rates are per 1,000 females 15-44 years of age. The abortion component of the rate for total all ages includes women less than 15 years of age, 45 years and older and age unknown.

All population estimates apply to July 1 of the selected year.

Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOPB) for years 1980-1999. For years 2000 and later the population estimates are provided by the National Center for Health Statistics (NCHS) through a collaborative agreement with the U.S. Census Bureau, IBIS Version 2017.

Figure 1





*2017 Reference Tables:*

**Abortions**



Table R1. Abortions by health district, county of residence, and age of woman: Utah, 2017

District and County	Total	Age of woman									
		Under 15	15 to 19			20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 and over
			Total	15 to 17	18 to 19						
<b>Total</b>	2,759	14	327	78	249	871	692	458	282	97	9
<b>Bear River</b>	109	0	18	2	16	44	27	11	7	2	0
<b>Box Elder</b>	28	0	2	1	1	6	12	6	2	0	0
<b>Cache</b>	80	0	16	1	15	38	15	4	5	2	0
<b>Rich</b>	1	0	0	0	0	0	0	1	0	0	0
<b>Central Utah</b>	28	2	3	1	2	9	8	3	1	2	0
<b>Juab</b>	7	0	1	1	0	3	1	2	0	0	0
<b>Millard</b>	3	0	1	0	1	0	0	0	1	1	0
<b>Piute</b>	0	0	0	0	0	0	0	0	0	0	0
<b>Sanpete</b>	8	1	1	0	1	3	3	0	0	0	0
<b>Sevier</b>	9	1	0	0	0	3	4	1	0	0	0
<b>Wayne</b>	1	0	0	0	0	0	0	0	0	1	0
<b>Davis</b>	217	0	25	7	18	75	49	39	21	6	2
<b>Salt Lake</b>	1,569	9	162	45	117	469	408	280	169	58	7
<b>San Juan</b>	0	0	0	0	0	0	0	0	0	0	0
<b>Southeastern</b>	24	0	5	3	2	7	5	4	3	0	0
<b>Carbon</b>	17	0	3	1	2	5	4	3	2	0	0
<b>Emery</b>	1	0	1	1	0	0	0	0	0	0	0
<b>Grand</b>	6	0	1	1	0	2	1	1	1	0	0
<b>Southwest</b>	26	0	5	0	5	4	6	9	1	1	0
<b>Beaver</b>	3	0	1	0	1	1	0	0	1	0	0
<b>Garfield</b>	4	0	0	0	0	0	2	2	0	0	0
<b>Iron</b>	6	0	1	0	1	1	1	2	0	1	0
<b>Kane</b>	0	0	0	0	0	0	0	0	0	0	0
<b>Washington</b>	13	0	3	0	3	2	3	5	0	0	0
<b>Summit</b>	60	0	2	0	2	19	13	8	11	7	0
<b>Tooele</b>	49	0	7	3	4	16	9	7	10	0	0
<b>TriCounty</b>	16	0	1	0	1	6	4	3	2	0	0
<b>Daggett</b>	0	0	0	0	0	0	0	0	0	0	0
<b>Duchesne</b>	4	0	1	0	1	1	2	0	0	0	0
<b>Uintah</b>	12	0	0	0	0	5	2	3	2	0	0
<b>Utah County</b>	379	1	61	10	51	134	90	49	29	14	0
<b>Wasatch</b>	25	0	2	0	2	8	5	5	2	3	0
<b>Weber-Morgan</b>	255	2	36	7	29	79	67	40	26	4	0
<b>Morgan</b>	4	0	2	0	2	1	1	0	0	0	0
<b>Weber</b>	251	2	34	7	27	78	66	40	26	4	0

Numbers may not add to total due to missing data.

Table R2. Abortions by health district, county of residence, and month of occurrence: Utah, 2017

District and County	Total	Month of occurrence											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b>Total</b>	2,759	252	221	268	241	228	246	209	241	206	229	217	200
<b>Bear River</b>	109	6	12	6	10	11	9	8	9	9	6	14	9
Box Elder	28	0	3	2	4	3	3	2	2	2	1	5	1
Cache	80	6	9	4	6	8	6	6	6	7	5	9	8
Rich	1	0	0	0	0	0	0	0	1	0	0	0	0
<b>Central Utah</b>	28	3	4	5	2	2	2	1	3	1	3	2	0
Juab	7	1	1	0	1	0	0	1	1	0	2	0	0
Millard	3	1	1	0	0	0	0	0	1	0	0	0	0
Piute	0	0	0	0	0	0	0	0	0	0	0	0	0
Sanpete	8	1	1	3	0	1	0	0	0	0	1	1	0
Sevier	9	0	1	2	1	1	2	0	0	1	0	1	0
Wayne	1	0	0	0	0	0	0	0	1	0	0	0	0
<b>Davis</b>	217	26	16	19	15	23	21	17	18	17	17	18	10
<b>Salt Lake</b>	1,569	147	123	148	128	131	134	129	139	118	130	117	125
<b>San Juan</b>	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Southeastern</b>	24	2	1	2	0	1	0	3	4	1	3	4	3
Carbon	17	2	1	2	0	1	0	2	2	0	2	3	2
Emery	1	0	0	0	0	0	0	0	1	0	0	0	0
Grand	6	0	0	0	0	0	0	1	1	1	1	1	1
<b>Southwest</b>	26	3	3	3	3	1	1	3	1	1	2	4	1
Beaver	3	1	0	1	1	0	0	0	0	0	0	0	0
Garfield	4	0	0	1	0	1	0	0	1	0	1	0	0
Iron	6	1	1	0	2	0	0	0	0	0	0	2	0
Kane	0	0	0	0	0	0	0	0	0	0	0	0	0
Washington	13	1	2	1	0	0	1	3	0	1	1	2	1
<b>Summit</b>	60	5	5	15	5	5	4	4	5	3	3	3	3
<b>Tooele</b>	49	3	5	7	4	3	9	3	4	3	3	4	1
<b>TriCounty</b>	16	3	1	2	1	0	3	0	1	2	0	1	2
Daggett	0	0	0	0	0	0	0	0	0	0	0	0	0
Duchesne	4	0	0	0	0	0	1	0	0	1	0	0	2
Uintah	12	3	1	2	1	0	2	0	1	1	0	1	0
<b>Utah County</b>	379	34	32	35	35	26	34	29	30	32	31	32	28
<b>Wasatch</b>	25	0	1	5	3	2	2	2	2	1	4	2	1
<b>Weber-Morgan</b>	255	19	18	20	35	23	27	10	25	18	27	16	17
Morgan	4	1	0	0	0	0	0	0	0	0	1	1	1
Weber	251	18	18	20	35	23	27	10	25	18	26	15	16

Numbers may not add to total due to missing data.

**Table R3. Abortions by age and marital status of woman, residents: Utah, 2017**

Age	Total	Marital status of woman					Not stated
		Never married	Married	Widowed	Divorced	Separated	
Total	2,759	1,890	558	5	137	89	80
Under 15	14	13	0	0	0	0	1
Total 15 to 19	327	306	9	0	0	0	12
15-17	78	72	2	0	0	0	4
18-19	249	234	7	0	0	0	8
20-24	871	747	82	0	9	14	19
25-29	692	462	144	0	36	24	26
30-34	458	233	147	2	39	27	10
35-39	282	100	114	2	39	16	11
40-44	97	20	57	1	12	6	1
45 and over	9	4	2	0	2	1	0

Numbers may not add to total due to missing data.

**Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2017**

Weeks gestation	Total	Marital status of woman					Not stated
		Never married	Married	Widowed	Divorced	Separated	
Total	2,759	1,890	558	5	137	89	80
Under 5	4	2	2	0	0	0	0
5-6	1,061	697	225	3	68	33	35
7-8	859	607	164	2	40	24	22
9-10	370	267	58	0	16	18	11
11-12	221	168	31	0	7	10	5
13-14	86	66	14	0	1	3	2
15-20	129	70	52	0	1	1	5
21 and over	21	12	9	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Numbers may not add to total due to missing data.

**Table R5. Abortions by age and education of woman, residents: Utah, 2017**

Age	Total	Education of woman			Not stated
		Under 12 years	High school	Over 12 years	
Total	2,759	140	1,172	1,409	38
Under 15	14	13	1	0	0
Total 15 to 19	327	67	174	83	3
15-17	78	59	13	5	1
18-19	249	8	161	78	2
20-24	871	20	427	415	9
25-29	692	16	262	405	9
30-34	458	14	182	252	10
35-39	282	8	89	180	5
40-44	97	2	28	66	1
45 and over	9	0	5	4	0

Numbers may not add to total due to missing data.

**Table R6. Abortions by age and race of woman, residents: Utah, 2017**

Age	Race of woman							
	Total	White	Black	Hispanic	Asian and Pacific Islander	Native American	Other	Not stated
<b>Total</b>	2,759	1,744	106	604	49	23	0	233
<b>Under 15</b>	14	11	1	2	0	0	0	0
<b>Total 15 to 19</b>	327	209	10	80	5	2	0	21
15-17	78	51	3	23	1	0	0	0
18-19	249	158	7	57	4	2	0	21
<b>20-24</b>	871	553	33	205	12	7	0	61
<b>25-29</b>	692	438	35	143	15	7	0	54
<b>30-34</b>	458	283	19	89	9	5	0	53
<b>35-39</b>	282	183	7	54	6	2	0	30
<b>40-44</b>	97	55	1	26	1	0	0	14
<b>45 and over</b>	9	6	0	2	1	0	0	0

Numbers may not add to total due to missing data.

**Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2017**

Weeks gestation	Race of woman							
	Total	White	Black	Hispanic	Asian and Pacific Islander	Native American	Other	Not stated
<b>Total</b>	2,759	1,744	106	604	49	23	0	233
<b>Under 5</b>	4	1	2	1	0	0	0	0
<b>5-6</b>	1,061	675	33	230	18	6	0	99
<b>7-8</b>	859	554	30	187	20	5	0	63
<b>9-10</b>	370	224	17	90	3	5	0	31
<b>11-12</b>	221	135	15	47	6	3	0	15
<b>13-14</b>	86	57	4	16	1	1	0	7
<b>15-20</b>	129	79	5	27	1	3	0	14
<b>21 and over</b>	21	11	0	6	0	0	0	4

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.  
 Numbers may not add to total due to missing data.

**Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2017**

Age	Total	Prior live births						Not stated
		None	One	Two	Three	Four	Five or more	
<b>Total</b>	2,759	1,535	467	388	207	77	3	82
Under 15	14	14	0	0	0	0	0	0
<b>Total 15 to 19</b>	327	293	27	6	0	0	0	1
15-17	78	74	3	0	0	0	0	1
18-19	249	219	24	6	0	0	0	0
20-24	871	592	169	75	23	4	0	8
25-29	692	362	132	110	54	21	0	13
30-34	458	156	84	105	58	22	1	32
35-39	282	84	39	63	54	21	1	20
40-44	97	26	14	27	13	9	1	7
45 and over	9	3	1	2	3	0	0	0

Numbers may not add to total due to missing data.

**Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2017**

Age	Total	Prior abortions						Not stated
		None	One	Two	Three	Four	Five or more	
<b>Total</b>	2,759	2,143	392	104	44	9	6	61
Under 15	14	12	2	0	0	0	0	0
<b>Total 15 to 19</b>	327	308	14	1	0	0	0	4
15-17	78	78	0	0	0	0	0	0
18-19	249	230	14	1	0	0	0	4
20-24	871	737	100	19	2	1	0	12
25-29	692	510	107	31	19	5	2	18
30-34	458	319	85	26	13	1	2	12
35-39	282	178	61	19	6	2	2	14
40-44	97	62	23	8	3	0	0	1
45 and over	9	9	0	0	0	0	0	0

Numbers may not add to total due to missing data.

**Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2017**

Weeks gestation	Total	Prior abortions						Not stated
		None	One	Two	Three	Four	Five or more	
<b>Total</b>	2,759	2,143	392	104	44	9	6	61
Under 5	4	3	0	0	0	0	0	1
5-6	1,061	816	149	41	22	4	3	26
7-8	859	659	134	39	11	3	1	12
9-10	370	295	53	9	4	1	1	7
11-12	221	174	27	9	1	1	0	9
13-14	86	70	3	5	5	0	1	2
15-20	129	103	22	0	0	0	0	4
21 and over	21	19	2	0	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available. Numbers may not add to total due to missing data.

**Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2017**

Age	Total	Reason for termination					Not stated
		Maternal life endangered	Therapeutic	Fetal malformation	HIV positive	Elective	
<b>Total</b>	2,759	21	2,466	35	0	183	54
<b>Under 15</b>	14	0	13	0	0	0	1
<b>Total 15 to 19</b>	327	1	284	3	0	31	8
15-17	78	0	70	1	0	4	3
18-19	249	1	214	2	0	27	5
<b>20-24</b>	871	5	793	5	0	58	10
<b>25-29</b>	692	4	625	8	0	37	18
<b>30-34</b>	458	8	401	7	0	34	8
<b>35-39</b>	282	2	247	8	0	18	7
<b>40-44</b>	97	1	87	3	0	4	2
<b>45 and over</b>	9	0	9	0	0	0	0

Numbers may not add to total due to missing data.

**Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2017**

Weeks gestation	Total	Reason for termination					Not stated
		Maternal life endangered	Therapeutic	Fetal malformation	HIV positive	Elective	
<b>Total</b>	2,759	21	2,466	35	0	183	54
<b>Under 5</b>	4	0	4	0	0	0	0
<b>5-6</b>	1,061	5	968	2	0	65	21
<b>7-8</b>	859	5	778	1	0	59	16
<b>9-10</b>	370	2	334	1	0	29	4
<b>11-12</b>	221	2	187	1	0	26	5
<b>13-14</b>	86	0	80	3	0	1	2
<b>15-20</b>	129	7	97	17	0	3	5
<b>21 and over</b>	21	0	10	10	0	0	1

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.  
Numbers may not add to total due to missing data.

Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2017

Age	Weeks gestation								
	Total	Under 5	5-6	7-8	9-10	11-12	13-14	15-20	21 and over
<b>Total</b>	2,759	4	1061	859	370	221	86	129	21
<b>Under 15</b>	14	0	4	2	3	1	1	3	0
<b>Total 15 to 19</b>	327	0	101	108	50	35	11	21	1
<b>15-17</b>	78	0	24	22	12	5	6	9	0
<b>18-19</b>	249	0	77	86	38	30	5	12	1
<b>20-24</b>	871	1	331	274	125	68	30	33	7
<b>25-29</b>	692	2	278	215	90	58	18	24	5
<b>30-34</b>	458	0	189	142	58	31	12	21	4
<b>35-39</b>	282	1	109	86	34	25	3	19	3
<b>40-44</b>	97	0	45	24	8	2	9	7	1
<b>45 and over</b>	9	0	3	3	2	1	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.  
 Numbers may not add to total due to missing data.

Table R14. Abortions by age of woman and methods of termination, residents: Utah, 2017

Age	Total	Methods of termination							Not stated
		Dilation and evacuation	Suction curettage	Sharp curettage	Medication	Intra-uterine instillation	Hysterectomy	Other	
Total	2,759	166	1,383	10	1,174	0	1	0	25
Under 15	14	3	3	0	8	0	0	0	0
Total 15 to 19	327	27	161	2	135	0	0	0	2
15-17	78	11	34	1	32	0	0	0	0
18-19	249	16	127	1	103	0	0	0	2
20-24	871	48	418	3	396	0	0	0	6
25-29	692	36	365	2	286	0	0	0	3
30-34	458	24	223	1	200	0	1	0	9
35-39	282	19	147	1	111	0	0	0	4
40-44	97	9	53	1	33	0	0	0	1
45 and over	9	0	7	0	2	0	0	0	0

Numbers may not add to total due to multiple choices and missing data.

Table R15. Abortions by weeks gestation and methods of termination, residents: Utah, 2017

Weeks gestation	Total	Methods of termination							Not stated
		Dilation and evacuation	Suction curettage	Sharp curettage	Medication	Intra-uterine instillation	Hysterectomy	Other	
Total	2,759	166	1,383	10	1,174	0	1	0	25
Under 5	4	0	1	0	3	0	0	0	0
5-6	1,061	0	409	0	645	0	0	0	7
7-8	859	1	430	1	418	0	0	0	9
9-10	370	1	270	2	96	0	0	0	1
11-12	221	0	218	2	0	0	0	0	1
13-14	86	32	48	3	2	0	0	0	1
15-20	129	113	3	2	6	0	1	0	4
21 and over	21	18	0	0	1	0	0	0	2

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.  
 Numbers may not add to total due to multiple choices and missing data.

**Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2017**

Age of woman	Total	Mention of any complication		
		Yes	No	Not stated
Total	2,759	7	2,744	8
Under 15	14	0	14	0
Total 15 to 19	327	1	325	1
15-17	78	0	78	0
18-19	249	1	247	1
20-24	871	2	867	2
25-29	692	0	692	0
30-34	458	3	454	1
35-39	282	1	279	2
40-44	97	0	96	1
45 and over	9	0	9	0

Numbers may not add to total due to missing data.

**Table R17. Abortions by age of woman and history of contraception in past year, residents: Utah, 2017**

Age of woman	Total	History of contraception in past year		
		Yes	No	Not stated
Total	2,759	186	736	1,837
Under 15	14	0	4	10
Total 15 to 19	327	11	63	253
15-17	78	1	23	54
18-19	249	10	40	199
20-24	871	40	193	638
25-29	692	50	201	441
30-34	458	49	149	260
35-39	282	24	84	174
40-44	97	9	34	54
45 and over	9	1	3	5

Numbers may not add to total due to missing data.

**Table R18. Abortions by age of woman and pregnancy due to omission of contraception, residents: Utah, 2017**

Age of woman	Total	Omission of contraception		
		Yes	No	Not stated
Total	2,759	25	179	2,555
Under 15	14	0	0	14
Total 15 to 19	327	1	11	315
15-17	78	0	2	76
18-19	249	1	9	239
20-24	871	6	40	825
25-29	692	5	48	639
30-34	458	8	43	407
35-39	282	4	26	252
40-44	97	1	8	88
45 and over	9	0	1	8

Numbers may not add to total due to missing data.

**Table R19. Abortions by age of woman and methods of contraception in past year, residents: Utah, 2017**

Age of woman	Methods of contraception in past year										
	Total	Oral (pill)	Diaphragm	Foam jelly	Condom	I U D	Surgical sterilization	Rhythm	Coitus interruptus	Depo-provera	Other
<b>Total</b>	2,759	82	2	4	36	23	3	2	0	8	19
<b>Under 15</b>	14	0	0	0	0	0	0	0	0	0	0
<b>Total 15 to 19</b>	327	6	1	0	2	0	0	0	0	0	2
15-17	78	1	0	0	0	0	0	0	0	0	0
18-19	249	5	1	0	2	0	0	0	0	0	2
<b>20-24</b>	871	18	0	0	2	7	0	0	0	3	7
<b>25-29</b>	692	21	0	1	13	6	1	0	0	1	3
<b>30-34</b>	458	22	1	1	10	6	0	1	0	2	4
<b>35-39</b>	282	8	0	1	7	3	2	1	0	2	1
<b>40-44</b>	97	6	0	0	1	0	0	0	0	0	2
<b>45 and over</b>	9	1	0	0	0	0	0	0	0	0	0

Numbers may not add to total due to multiple choices and missing data.

**Table R20. Abortions by marital status of woman and methods of contraception in past year, residents: Utah, 2017**

Marital status	Methods of contraception in past year										
	Total	Oral (pill)	Diaphragm	Foam jelly	Condom	I U D	Surgical sterilization	Rhythm	Coitus interruptus	Depo-provera	Other
<b>Total</b>	2,759	82	2	4	36	23	3	2	0	8	19
<b>Never married</b>	1,890	50	1	2	17	11	0	0	0	6	12
<b>Married</b>	558	15	0	1	12	7	3	2	0	2	1
<b>Widowed</b>	5	0	0	0	0	0	0	0	0	0	0
<b>Divorced</b>	137	13	1	0	5	2	0	0	0	0	3
<b>Separated</b>	89	2	0	1	2	1	0	0	0	0	1

Numbers may not add to total due to multiple choices and missing data.

**Table R21. Abortions by number of prior live births, prior abortions, and methods of contraception in past year, residents: Utah, 2017**

Prior live births and prior abortions	Methods of contraception in past year										
	Total	Oral (pill)	Diaphragm	Foam jelly	Condom	I U D	Surgical sterilization	Rhythm	Coitus interruptus	Depo-provera	Other
<b>Total</b>	2,759	82	2	4	36	23	3	2	0	8	19
<b>No live births</b>	1,535	42	1	4	20	12	0	0	0	4	11
One live birth	467	14	0	0	6	4	0	0	0	1	4
More than one birth	739	23	1	0	10	7	3	2	0	3	4
<b>Births unknown</b>	18	3	0	0	0	0	0	0	0	0	0
<b>No abortions</b>	2,143	62	2	2	18	17	3	2	0	5	10
No live births	1,282	33	1	2	12	8	0	0	0	3	6
One live birth	346	10	0	0	3	4	0	0	0	0	2
More than one birth	510	18	1	0	3	5	3	2	0	2	2
<b>One abortion</b>	392	7	0	2	12	3	0	0	0	1	7
No live births	178	2	0	2	6	2	0	0	0	1	4
One live birth	83	3	0	0	2	0	0	0	0	0	2
More than one birth	127	2	0	0	4	1	0	0	0	0	1
<b>More than one abortion</b>	163	10	0	0	4	3	0	0	0	2	2
No live births	63	6	0	0	1	2	0	0	0	0	1
One live birth	29	1	0	0	1	0	0	0	0	1	0
More than one birth	69	3	0	0	2	1	0	0	0	1	1
<b>Abortions unknown</b>	61	3	0	0	2	0	0	0	0	0	0
No live births	12	1	0	0	1	0	0	0	0	0	0
One live birth	9	0	0	0	0	0	0	0	0	0	0
More than one birth	33	0	0	0	1	0	0	0	0	0	0

Numbers may not add to total due to multiple choices and missing data.

**Table R22. Abortions by education of woman and methods of contraception in past year, residents: Utah, 2017**

Education	Methods of contraception in the past year										
	Total	Oral (pill)	Diaphragm	Foam jelly	Condom	I U D	Surgical sterilization	Rhythm	Coitus interruptus	Depo-provera	Other
<b>Total</b>	2,759	82	2	4	36	23	3	2	0	8	19
<b>Under 12 years</b>	140	2	0	0	0	1	0	0	0	0	1
<b>High school</b>	1,172	27	1	0	10	5	3	1	0	4	8
<b>Over 12 years</b>	1,409	51	1	4	26	16	0	1	0	4	9
<b>Unknown</b>	38	2	0	0	0	1	0	0	0	0	1

Numbers may not add to total due to multiple choices and missing data.



*2017 Appendix:*

**Abortions**



## Technical Appendix

Section 76-7-313, Utah Code Annotated 1953 as amended requires that the report of induced termination of pregnancy (Figure A) be filed with the State of Utah's Department of Health within ten days after the abortion.

The reported number of abortions to Utah residents that are performed out of state is small and suggests an undercount. This small number of reported abortions that occur in other states are not shown by county of residence in this report.

For both the summary and reference tables in this report, data are tabulated by health district as well as county of residence to meet the needs of local health departments.

The 2010-2017 population estimates are provided by the National Center for Health Statistics (NCHS) through a collaborative agreement with the U.S. Census Bureau, IBIS Version 2017. Data used for 2000-2009 is from Vintage population data from the U.S. Census Bureau. Prior population data were produced by the Utah Population Estimates Committee (UPEC).

Formulas used to compute rates and ratios used in this report are defined as follows:

$$\text{Abortion Rate} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Resident Females 15-44 Years of Age}}$$

$$\text{Abortion Ratio} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Live Births to Resident Females}}$$

Figure 1

STATE OF UTAH DEPARTMENT OF HEALTH REPORT OF INDUCED TERMINATION OF PREGNANCY						CONFIDENTIAL <small>This report will be used for statistical purposes by the Utah Department of Health. It may be used to insure compliance with the provisions of the Utah State Abortion Law. It will be kept Confidential pursuant to Chapter 25, Title 26.</small>	
1. PLACE where termination occurred-hospital or other facility. <small>If not in hospital or clinic, enter street address.</small>			1b. CITY		1c. COUNTY		
2. RESIDENCE State _____ County _____ City, Village _____ Zip Code _____			3. PATIENT'S BIRTHDATE Month _____ Year _____		4. MARITAL STATUS 1 <input type="checkbox"/> Never Married 2 <input type="checkbox"/> Married 3 <input type="checkbox"/> Widowed 4 <input type="checkbox"/> Divorced 5 <input type="checkbox"/> Separated		
5. WAS PATIENT OF HISPANIC ORIGIN? 1 <input type="checkbox"/> Yes (If yes, Specify) 2 <input type="checkbox"/> No 1 <input type="checkbox"/> Mexican 2 <input type="checkbox"/> Cuban 3 <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Other (Specify) _____			6. RACE 1 <input type="checkbox"/> White 2 <input type="checkbox"/> Black 3 <input type="checkbox"/> American Indian 9 <input type="checkbox"/> Asian/Pacific Islander <input type="checkbox"/> Other (Specify) _____		7. EDUCATION (Specify highest grade completed) Elementary/Secondary (0-12) College (13-16 or 17+)		
8. PREVIOUS PREGNANCIES (Complete each section)				9. CONTRACEPTIVE HISTORY		10. METHODS (if "yes" to no. 9, what method(s) used?)	
LIVE BIRTHS		OTHER PREGNANCIES		Has the patient practiced contraception in the past year?			
8a. Now Living	8b. Now Dead	8c. Spontaneous Terminations	8d. Induced Terminations	1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown		0 <input type="checkbox"/> Oral (pill) 5 <input type="checkbox"/> Surgical Sterilization 1 <input type="checkbox"/> Diaphragm 6 <input type="checkbox"/> Rhythm 2 <input type="checkbox"/> Foam Jelly 7 <input type="checkbox"/> Coitus Interruptus (Withdrawal) 3 <input type="checkbox"/> Condom 8 <input type="checkbox"/> Depo Provera 4 <input type="checkbox"/> IUD 9 <input type="checkbox"/> Other (Specify) _____	
11. If "Yes" to no. 9, did the pregnancy follow from temporarily omitting the method of contraception? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown If "Yes", which method? _____				12. ANTI-RH IMMUNE globulin indicated 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown		13. ANTI-RH IMMUNE globulin given 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Patient Refused	
14. DATE OF TERMINATION Month _____ Day _____ Year _____		15. FIRST DAY OF LAST MENSTRUAL PERIOD Month _____ Day _____ Year _____		16. CLINICAL ESTIMATE OF GESTATION (Weeks)		17. EVIDENCE OF PREVIOUS ATTEMPT TO TERMINATE THIS PREGNANCY 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown	
18a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one)				18b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY (Check all that apply)		19. REASON FOR TERMINATION	
1 <input type="checkbox"/> Suction Curettage 2 <input type="checkbox"/> Sharp Curettage (D & C) 3 <input type="checkbox"/> Dilation and Evacuation (D & E) 4 <input type="checkbox"/> Medical (Nonsurgical), Specify Medication(s) _____ 5 <input type="checkbox"/> Intra-Uterine Instillation (Saline or Prostaglandin) 6 <input type="checkbox"/> Hysterotomy/Hysterectomy 7 <input type="checkbox"/> Other (Specify) _____				1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/>		1 <input type="checkbox"/> Maternal Life Endangered 2 <input type="checkbox"/> Therapeutic 3 <input type="checkbox"/> Fetal Malformation 4 <input type="checkbox"/> HIV Positive 5 <input type="checkbox"/> Flap 6 <input type="checkbox"/> Incest 7 <input type="checkbox"/> Elective 8 <input type="checkbox"/> Other	
20. COMPLICATIONS (Check all that apply)				21. HOSPITALIZATION REQUIRED AS A RESULT OF COMPLICATIONS			
0 <input type="checkbox"/> None 1 <input type="checkbox"/> Hemorrhage 2 <input type="checkbox"/> Perforation of Uterus 3 <input type="checkbox"/> Cervical Laceration 4 <input type="checkbox"/> Infection 5 <input type="checkbox"/> Anesthetic 6 <input type="checkbox"/> Retained Products 7 <input type="checkbox"/> Death 8 <input type="checkbox"/> Other, Specify: _____				1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No _____ Month _____ Day _____ Year			
22. WAS THE FETUS CAPABLE OF SURVIVAL OUTSIDE THE UTERUS? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown				23. I hereby certify that the required consent was voluntarily obtained as provided in Section 76-7-305, Utah Code Annotated, 1953 as Amended.			
24. SIGNATURE OF PHYSICIAN				25. NAME OF PHYSICIAN (Print or Type)			
25. NAME OF PHYSICIAN (Print or Type)				26. DATE			

(COMPLETE REVERSE SIDE ALSO)

CONFIDENTIAL

## SURGICAL PATHOLOGY REPORT

### GROSS and MICROSCOPIC TO BE COMPLETED ON ALL INDUCED ABORTIONS

- 1) Presence of chorionic villi ..... 1  Yes 2  No 9  Unknown
- 2) Presence of decidual tissue ..... 1  Yes 2  No 9  Unknown
- 3) Presence of marked inflammatory reaction. .... 1  Yes 2  No 9  Unknown
- 4) Presence of embryo or fetal parts. .... 1  Yes 2  No 9  Unknown
- 5) Gross appearance of embryo ..... 1  Normal  
2  Macerated  
3  Malformed - Type \_\_\_\_\_

- 6) Measurements of embryo ..... Length \_\_\_\_\_ cms  
Weight \_\_\_\_\_ gms.

#### COMPLETE THIS SECTION FOR ABORTIONS BEYOND 90 DAYS GESTATION

##### 1. Measurement of Embryo

- Heel to Toe \_\_\_\_\_ mm.
- Biparietal Diameter \_\_\_\_\_ cm.
- Date BPD Measured \_\_\_\_\_

##### 2. Complications or Post-Operative Morbidity

- 00  None
- 01  Cardiac Arrest
- 02  Disseminated Intravascular Coagulation
- 03  Ectopic Pregnancy
- 04  Failed Abortion
- 05  Hemorrhage (less than 500 ml.)
- 06  Hemorrhage (500 ml. or more)
- 07  Incomplete abortion (retained tissue)
- 08  Injury to cervix
- 09  Pelvic Infection
- 10  Perforation
- 11  Postabortal bleeding or spotting
- 12  Pulmonary embolism or infarction
- 13  Reaction to Anesthesia - general
- 14  Reaction to Anesthesia - local
- 15  Respiratory arrest
- 16  Other, Specify \_\_\_\_\_

##### 3. Time of Complication

- 1  During Procedure
- 2  During Recovery
- 3  After Discharge

##### 4. Management of Complication

- 1  Hospitalization (immediate)
- 2  Hospitalization (later by Facility)
- 3  Hospitalization (later not by Facility)
- 4  Repeat Evacuation (immediate)
- 5  Repeat Evacuation (later at Facility)
- 6  Repeat Evacuation (later not at Facility)

##### 5. Two Week Follow-up

- 1  In Facility, Normal
- 2  Other \_\_\_\_\_
- 3  Other Facility, Normal
- 4  Other \_\_\_\_\_
- 5  Examination Not Done
- 6  Unable to Contact

##### 6. Future Contraception Planned

- 1  Oral (Pill)
- 2  IUD
- 3  Diaphragm
- 4  Other Contraception
- 5  None Wanted

##### 7. Reason for Late Abortion

- 1  Woman continued to have menses
- 2  Afraid to tell parents, spouse, etc.
- 3  Denial of Pregnancy
- 4  Planned pregnancy, change of circumstances
- 5  Suspected or known fetal malformation
- 6  Late referral
- 7  Unable to afford cost earlier in pregnancy
- 8  Other, Specify \_\_\_\_\_

